



THE DIAGNOSIS OF SENIOR HIGH SCHOOL CLASS X MIA B STUDENTS MISCONCEPTIONS ABOUT HYDROSTATIC PRESSURE CONCEPT USING THREE-TIER

C. P. Wijaya*, Supriyono Koes H., Muhardjito

Universitas Negeri Malang, Indonesia, Indonesia

DOI: 10.15294/jpii.v5i1.5784

Accepted: 2 January 2016. Approved: 22 March 2016. Published: April 2016

ABSTRACT

One of the main problems in physics is the emergence of students' misconceptions which comes from the prejudices of false starts and a naive belief. Many studies have shown that students tend to have developed their own understanding before the formal teaching is done. The ideas which are developed by students which are different from the explanations by the experts are known as misconceptions. The initial idea that has been formed by the students is very difficult to change by the teachers although the materials are presented with scientific concepts. Misconceptions diagnosis research on the hydrostatic pressure concept was conducted on 23 students of class X MIA B SMAN 3 Malang using Three-tier test. The diagnosis results that the students get misconceptions on the indicators, it explain the hydrostatic pressure is influenced by the depth and at all points located in the horizontal area in the calm liquid has the same hydrostatic pressure, and the hydrostatic pressure is proportional to the density of the fluid, include 1) students believe that hydrostatic pressure is greater at a point closer to the closed cavity (43.5%), 2) the students believe that the hydrostatic pressure is proportional to the density of the submerged object (30.4%), 3) the students believe that the hydrostatic pressure is greater on the outside of the cave because it has a larger volume of fluid so that the pressure is higher (17.4%), 4) students had misconceptions in determining the depth in case of hydrostatic pressure (13%), 5) the students believe that the hydrostatic pressure is greater in the narrow place (13%).

© 2016 Science Education Study Program FMIPA UNNES Semarang

Keywords: Hydrostatic Pressure, Misconceptions, Three-tier.

INTRODUCTION

One of the main problems in physics is the emergence of students' misconceptions which comes from the prejudices of false starts and a naive belief. Students develop ideas about how things work based on their experience (Driver, 1994). Many studies have shown that students tend to have developed their understanding before the formal teaching is done (Halim et al., 2014). The ideas are developed by the students are different from the explanations by the experts; this is a misconception (Chamber & Andre, 1997; Hammer 1996; Lawson, 1995; Yalcin, 2008). The initial idea that has been

formed by the students is very difficult to change by teachers although presented with scientific concepts (Tsai, 1999; Sencar & Eryilmaz, 2004). The students' misconceptions in physics initially be derived from many sources, among others: their interaction with daily life, textbooks, reference books, teachers, languages, beliefs, and cultural practices (Ivowi & Uludotun, 1987; Soyinbo, 1993). Therefore, the teachers should identify the students' misconceptions before making a formal teaching so those misconceptions can be altered to scientific concepts after the formal teaching and learning process (Wong & Solomon, 2008).

The materials in physics are still full of misconceptions, one of them can be found on the hydrostatic pressure material. From a research

*Alamat korespondensi:
Email: wijaya.charisma.pramuda@gmail.com

conducted by Pratiwi & Wasis (2013) mentions that the students had misconceptions such as: 1) the magnitude of the pressure is influenced by the broadness of the container, 2) the density of water is less than the density of the oil because they have the same volume and height, 3) the magnitude of the pressure is determined by the broadness of the container, volume, and mass of the substance. Research conducted by Goszewski et al. (2012) also mentions the hydrostatic pressure of the material misconception: 1) the errors in the determination of h or depth, 2) the errors in determining the hydrostatic pressure which have three holes. Based on these results the researchers get a source of misconceptions in the hydrostatic pressure material generally in the determination of the depth (h), so in the future researchers will focus on the concept and other concepts are still likely to be considered as potential misconceptions.

A number of ways can be used to diagnose the misconceptions that occur in students. These ways may in the form of interviews (Atwood and Atwood, 1997), questionnaire (Stover & Saunders, 2004), open-ended question (Küçüközer, 2007), multiple choice test (Tsai & Chou, 2002; Trumper, 2003; Brunsell & Marcks, 2005), Two-tier test (Franklin, 1992; Tan et al., 2002; 2005) and Three-tier test (Eryilmaz, 2010; Eryilmaz & Surmeli, 2002; Pesman & Eryilmaz 2010; Arslan et al., 2012 ; Caleon, et al., 2010). One of the ways used in the misconceptions diagnosis is using three-tier diagnostic test. Three-tier diagnostic test is a diagnostic test that is composed of three tiers questions. The first level (one-tier) is a regular multiple choice, the second level (two-tier) in the form of a choice of reasons, and the third level (three-tier) in the form of questions affirmation from the answers that have been made on the level one and two (Kirbulut, 2014 ; Kutluyay, 2005; Turker, 2005). The Three-tier diagnostic test has several advantages: 1) makes it possible to calculate the percentage of positively incorrect and negatively incorrect without conducting interviews with the students, which can be used to determine the validity of the tests (Perman & Eryilmaz, 2010), 2), evaluate the misconceptions, understand the reasons given by the students, and to distinguish the students' lack of knowledge and students' misconceptions (Guncay & Gulbas, 2015).

From the description that has been revealed, it is found that the students sometimes have a different understanding with the experts, the result of this condition is the emergence of misconceptions. Misconceptions can be caused by an

understanding that has formed before the formal teaching which is difficult to remove by the teacher. Teachers as a good educator should be able to reduce the potential emergence of misconceptions in their students. The first thing that can be done by the teachers is to know and understand the misconceptions appear in students. Therefore, researchers conducted a study to diagnose the students' misconceptions especially on hydrostatic pressure material, to help the teachers to have a better understanding of the potential misconceptions in the students.

METHODS

This research is a descriptive study using a quantitative approach as the representative of the research results. The sample in this study is SMAN 3 Malang class X MIA B who has studying the hydrostatic pressure material in the academic year 2015/2016. The respondents are 23 students consisting of 8 male students and 15 female students. The misconceptions in the diagnosis instruments are listed in Table 1.

The students of class X MIA B Malang are analyzed their misconceptions by providing four questions in the form of three-tier diagnostic test. The students are working on a three-tier diagnostic test for 20 minutes. The diagnosis data are presented in a form of a percentage of the total misconception and the total number of the students (23 students). In answering the questions on the multiple choice of the three-tier diagnostic test, students were asked to answer at level 1 answer the questions, at level 2 the reasons of the chosen answers, as well as at the level 3 the students are required to provide the level of conviction in the accuracy of the answers given; by selecting the choice sure and unsure. Grouping students' conceptions based on three-tier diagnostic tests as in Table 2.

RESULTS AND DISCUSSIONS

The Students' Overall Concept about Hydrostatic Pressure Concept

The overall analysis results from the three-tier instrument is classified as students who master the concepts is 22.8%, 29.1% did not know the concept, while the rest indicated misconceptions. Many studies have shown that students tend to have developed their own understanding before the formal teaching is done 35, 9% and 2.2% or less confident guessing. For more fully data of the students' distribution conception on hydrostatic pressure can be seen in Table 3.

Table 1. The misconception in diagnosis instruments

Indicators	Students' Misconception	No Items
Explaining the hydrostatic pressure on the same horizontal line is heavily influenced by the depth of the objects.		
1	- Students believe that the hydrostatic pressure is directly proportional to the distance of a point on the surface of the water.	1
	- Students believe that the hydrostatic pressure has a greater value in a narrow place.	1
	- Students believe that the hydrostatic pressure is directly proportional to the height.	1
	- Students believe that hydrostatic pressure is greater at the outside of the cave because it has a larger fluid volume so that the pressure is higher.	2
	- Students believe that the fluid is more concentrated when it is placed in a container, which is denser / narrower then the hydrostatic pressure becomes greater.	2
	- Students believe that the depth in hydrostatic pressure is measured from the bottom of the fluid.	2
	- Students believe that the hydrostatic pressure is greater at the outside of the cave because the water outside the cave is more freely so that the pressure becomes smaller.	2
	- Students believe that the hydrostatic pressure is greater when the hole is wider.	3
	- Students believe that the hydrostatic pressure is greater when it is near an open hole.	3
	- Students believe that the hydrostatic pressure is greater when it is near a closed hole.	3
	- Siswa meyakini bahwa tekanan hidrostatik lebih besar pada rongga yang lebih sempit. Students believe that the hydrostatic pressure is greater in the narrower hole.	3
Explaining the hydrostatic pressure is proportional to the density of the fluid.		
2	- Students believe that the hydrostatic pressure is inversely proportional to the density of the fluid.	4
	- Students believe that the hydrostatic pressure is proportional to the mass of the object.	4
	- Students believe that the hydrostatic pressure is inversely proportional to the mass of the object.	4

Table 2. The Grouping Criteria of Students' Conception Based on Three-tier Diagnosis Test

Students' Response							
An- swer	Code	Reason	Code	Convic- tion	Kode	Category	Code
True	B	True	B	Sure	Y	Mastering the concept	MK
True	B	False	S	Sure	Y	Misconception	M
False	S	True	B	Sure	Y	Misconception	M
False	S	False	S	Sure	Y	Misconception	M
True	B	True	B	Not sure	TY	Guessing, lack of confidence	TK
True	B	False	S	Not sure	TY	Not know the concept	TT
False	S	True	B	Not sure	TY	Not know the concept	TT
False	S	False	S	Not sure	TY	Not know the concept	TT

diadaptasi dari Arslan *et al.* (2012)

A Diagnosis in the indicator Explains that Hydrostatic Pressure is Influenced by Depth and All Points in the Horizontal Container in the Calm Fluid has the Same Hydrostatic Pressure

The question items to diagnose the students' misconceptions in the indicators are influenced by depth and all points located in the horizontal container in a calm liquid has the same hydrostatic pressure is presented in Figure 1, 2, and 3.

On the hydrostatic question item in holes in the ground are presented in Figure 1 and the distribution of students' answers are presented in Table 3. The right answer on these items is the choice of answers D and the exact reason the choice of answers C. Based on these data; it appears that 30.4% of students master the concepts included in the category of hydrostatic pressure in a straight line on a similar fluid has the same mass. Mostly in the categories do not know the concept of which are 43.5% and 26.1% indicated misconceptions.

The students who are indicated have misconceptions in the question items in figure 1 are: 1) the student believes the hydrostatic pressure has a greater value in a narrow place by 13.1%, 2) the students experienced an error in determining the depth of 13%. The diagnosis is in line with the findings of the study from Besson (2004) which states that the hydrostatic pressure in a narrow place / container then the hydrostatic pressure will be greater, while the results of Goszewski et al. (2012) reported that students tend to have misconceptions in determining the depth in case of hydrostatic pressure.

On the question items of hydrostatic pressure for a fish which is inside and outside the cave are presented in Figure 2 and the distribution of the responses are presented in Table 3. In the question on the second image the right answer choice is A and the right reason of answer choice is B. Based on these data seem that only 21.7% of students included in the category of knowing the concept of hydrostatic pressure in a straight

line on a similar fluid has the same mass. Most of the categories do not know the concept of 39.1%, 34.8% which are indicated to have misconceptions, and 4.3% to guess or lack of conviction.


The students who indicated to have misconceptions on question items in the Figure 2, namely: 1) the students believe that hydrostatic pressure is greater at the outside of the cave because it has a larger volume so the pressure is higher (17.4%), 2) the students believe that the hydrostatic pressure at the outside of the cave is larger because the water is more freely so that the pressure becomes smaller (8.7%), 3) the students believe that the fluid is more concentrated when in a place, which is denser / narrower then the hydrostatic pressure becomes larger (4.3%), 4) the students believe that the depth of hydrostatic pressure is measured from the bottom of the fluid (4.3%). The diagnosis is consequence with the findings of recent research: 1) the hydrostatic pressure is proportional to the volume of fluid that is around the fish, 2) Besson (2004) at the outdoor, the air is free, so the hydrostatic pressure becomes smaller and at smaller place the water is more compressed.

On the question items of hydrostatic pressure, the points of the container which have open and close is presented in Figure 3 and the distribution of the responses are presented in Table 3. In Figure 3, the question items on the correct answer is D and the right reason of choice is A. Based on these data, it appears that only 21.7% of students are included in the category of knowing the concept of hydrostatic pressure in a straight line on a similar fluid has the same mass. At the categories who do not know the concept are 26.1%, 47.8% indicated as misconceptions, and 4.3% as guessing / do not convince with their answers. The students who are indicated having misconceptions on the question items in Figure 3, namely: 1) students believe that hydrostatic pressure is greater as it is closer to the point of closed hole (43.5%), 2) the students believe that the hydrostatic pressure in the narrower place


Table 3. The students' concept distribution on the hydrostatic pressure concept

Students' Response			Code	Question								Number	
Answer	Reason	Conviction		1	2	3	4						
				N	%	N	%	N	%	N	%	N	%
Mastering the concept			PI	7	30,4	5	21,7	5	21,7	4	17,5	21	22,8
Do not know the concept			TP	10	43,5	9	39,1	6	26,1	11	47,8	36	29,1
Misconception			M	6	26,1	8	34,8	11	47,8	8	34,7	33	35,9
Lucky guesses/not so convince			KP	0	0	1	4,3	1	4,3	0	0	2	2,2
				23	100	23	100	23	100	23	100	92	100

Ikan A, ikan B, dan ikan C masing-masing bermassa 2 kg berada di kedalaman seperti pada gambar 1.1, kemudian sebuah balok besar ditempatkan pada celah di atas ikan A sehingga permukaan air di atas ikan A mengalami penurunan dan permukaan air di atas ikan B dan ikan C mengalami kenaikan permukaan air, lalu air menjadi tenang kembali, posisi ikan A dan ikan B tetap sejajar dan tidak berpindah dari posisi awal kecuali hanya ikan C yang berpindah seperti pada gambar 1.2, jika diketahui $\rho_{\text{air}} = 1000 \text{ kg/l}$ dan $g = 10 \text{ m/s}^2$.



Gambar 1.1



Gambar 1.2

Dari pernyataan di bawah ini mana yang tepat berdasarkan gambar 1.2...

- Ikan A merasakan tekanan dari air lebih besar daripada ikan B dan C.
- Ikan B merasakan tekanan dari air lebih besar daripada ikan A dan C.
- Ikan C merasakan tekanan dari air lebih besar daripada ikan A dan B.
- Ikan A dan B merasakan tekanan dari air yang sama besar.
- Ikan A dan C merasakan tekanan dari air yang sama besar.
- Ikan A, B, dan C merasakan tekanan dari air yang sama.

Alasan:

- Ikan A berada di tempat yang lebih sempit sehingga tekanannya lebih besar.
- Ikan B berada pada posisi 75 cm dari permukaan air.
- Ikan A dan ikan B berada pada garis horizontal yang sejajar.
- Ikan A memiliki jarak 25 cm dari penutup dan ikan C memiliki jarak 25 cm dari permukaan air.
- Ikan A terletak paling jauh dari permukaan air.
- Ikan A, B, C berada pada fluida yang sama.

Apakah kamu yakin?

- Ya.
- Tidak.

Figure 1. The hydrostatic pressure in the holes of the ground question items

makes it larger (4.3%). The diagnosis is in line with the findings of several recent research: 1) Besson (2004) hydrostatic pressure will be larger at a closed hole, 2) Kariotoglou & Psillos (1993) hydrostatic pressure at the narrow container has a narrow greater pressure.

The Diagnosis on the Indicators Explain that Hydrostatic Pressure has the Similar Density as Fluid

The Question items to diagnose the student has misconceptions on the indicators of hydrostatic pressure is proportional to the density of the fluid is presented in Figure 4. The distribution of the students' answers is presented in Table 3. The answer in Figure 4 which is the right answer is A and the right reason at the answer is C. Based on the data shows that only 17.4% of students are included in the category of knowing the concept of hydrostatic pressure is influenced by the density of the fluid. Most of the students are in the category of do not know the concept 47.8% and 34.7% indicated misconceptions.


The misconception that indicated in students within the question items in Figure 4 are 1) the students believe that the hydrostatic pressure is proportional to the density of the submerged object which amounted to 30.4%, 2) students believe that hydrostatic pressure is inversely proportional to the density of the submerged object of 4.3.

CONCLUSION

Based on the results and explanation as described before, it can be concluded that based on the diagnosis by using Three-tier methods, there are students who indicated are having misconceptions associated to hydrostatic pressure, covering the indicators which is explain the hydrostatic pressure that influenced by the depth and all points located in the horizontal place in a calm liquid has the same hydrostatic pressure and indicators explain the hydrostatic pressure is proportional to the density of the fluid was found that as many as 22.8% of students in mas-

Dilakukan pengamatan terhadap ikan A bermassa 2 kg yang berada di luar gua dan ikan B bermassa 2 kg yang berada di dalam gua, seperti pada gambar 6.1. Diketahui $\rho_{\text{air}} = 1000 \text{ kg/l}$ dan $g = 10 \text{ m/s}^2$. Pengamat tersebut ialah Ahmad, Bertus, dan Gedhe. Hasil pengamatan masing-masing pengamat yaitu:

Pengamat	Hasil Laporan
Ahmad	Tekanan hidrostatik ikan A > ikan B
Bertus	Tekanan hidrostatik ikan A < ikan B
Gedhe	Tekanan hidrostatik ikan A = ikan B



Gambar 6.1

Dari ketiga laporan tersebut yang mempunyai hasil laporan yang benar adalah...

- Gedhe, Ikan A dan B merasakan tekanan yang sama besar dari air danau.
- Ahmad. Tekanan ikan A > ikan B.
- Bertus, Tekanan ikan A < ikan B.

Alasan:

- Ikan A berada di luar gua mempunyai meter kubik air yang lebih banyak sehingga tekanannya lebih tinggi.
- Ikan A dan ikan B terletak pada satu garis horizontal yang sejajar.
- Ikan B berada di dalam mempunyai air yang lebih terkonsentrasi ketika di tempat yang lebih rapat.
- Ikan A merasakan tekanan dari air danau yang berada pada kedalaman 10 m dari dasar permukaan air.
- Ikan A berada di luar gua karena air yang berada di luar gua lebih bebas sehingga tekanannya lebih kecil.

- Yakin.
- Tidak.

Figure 2. The question items of hydrostatic pressure of the fish inside and outside of the cave

Sebuah wadah yang terbuka pada salah satu sisinya ditunjukkan pada gambar 4.1. Jika wadah tersebut berisi cairan yang bermassa jenis 100 kg/m^3 , maka pernyataan di bawah ini yang benar adalah...


- Tekanan hidrostatik di titik D dan A sama serta lebih besar dari titik C dan B.
- Tekanan hidrostatik di titik A paling besar.
- Tekanan hidrostatik di titik D paling besar.
- Tekanan hidrostatik di titik C dan D sama serta lebih besar dari titik A dan D.

Alasan:

- Dalam posisi horizontal yang sejajar.
- Paling dekat dengan rongga yang tertutup.
- Paling dekat dengan rongga yang terbuka.
- Terletak pada rongga yang lebih sempit.
- Terletak pada rongga yang lebih luas.

Apakah kamu yakin?

- Yakin.
- Tidak.



Gambar 4.1

Figure 3. The question items of hydrostatic pressure in a container which has open and close holes

tering the concept category, 39.1% did not know the concept, while 35.9% indicated experiencing misconceptions, and the balance of 2.2% in the category of guessing or less convince than a total of 23 students who took the tests.

The type misconceptions that often happen in this study are: 1) students believe that hydrostatic pressure is greater at a point closer to the closed hole (43.5%), 2) students believe that hydrostatic pressure is proportional to the density of the submerged object (30.4%), 3) the students believe that the hydrostatic pressure is greater

outside of the cave because it has a larger volume of fluid so that the pressure is higher (17.4%), 4) the students have misconceptions in determining the depth in case of hydrostatic pressure (13 %), 5) the students believe that the hydrostatic pressure is greater in a narrow place (13%).

To prevent the misconceptions in students, researchers suggest to the reader as well as further research for the diagnosis of misconceptions before proceeds a learning process to the students, misconceptions that have grown need a further evaluation on the sources causes of misconcep-

Hasil praktikum kimia yang dilakukan Andi adalah sebagai berikut:

Jenis Zat	Massa jenis (g/cm ³)
Alumunium	2,70
Besi	7,86
Air laut	1,25
Air danau	1,00

Berdasarkan tabel di atas, maka pernyataan di bawah ini yang tepat ialah...

- Besi memiliki tekanan hidrostatik lebih besar daripada almunium ketika dicelupkan ke dalam air laut.
- Almunium yang dicelupkan dalam air danau memiliki tekanan hidrostatik lebih besar daripada almunium yang dicelupkan pada air laut.
- Almunium memiliki tekanan hidrostatik lelebih besar daripada besi ketika dicelupkan dalam air laut.
- Besi yang dicelupkan dalam air laut memiliki tekanan hidrostatik lebih besar daripada besi yang dicelupkan dalam air danau.

Alasan:

- Tekanan hidrostatik berbanding lurus dengan massa jenis benda yang tercelup.
- Tekanan hidrostatik berbanding terbalik dengan massa jenis benda yang tercelup.
- Tekanan hidrostatik berbanding lurus dengan massa jenis fluida.
- Tekanan hidrostatik berbanding terbalik dengan massa jenis fluida.

Apakah kamu yakin dengan jawaban yang kamu berikan?

- Yakin.
- Tidak.

Figure 4. The question items of hydrostatic pressure on the laboratorium data results

tions caused by students and other sources such as teachers, learning methods, textbooks, and reference books, doing a diagnosis research of misconceptions in other materials as well as efforts to overcome the misconception that indicated on the students, doing similar research by using more samples, so the results are more accurate.

REFERENCES

- Arslan, H. O., Cigdemoglu, c., & Moseley, c. (2012). A three-tier diagnostic test to assess pre-service teachers' misconceptions about global warming, greenhouse effect, ozone layer depletion, and acid rain. *International Journal of Science Education*, 34(11), 1667-1686.
- Atwood, R. K. & Atwood, V. A. (1997). Effects of instruction on pre-service elementary teachers' conceptions of the causes of night and day and the seasons. *Journal of Science Teacher Education*, 8(1), 1-13.
- Besson, U. (2004). Students' conceptions of fluids. *International Journal of Science Education*, 26(14), 1683-1714.
- Brunsell, E. & Marcks, J. (2005). Identifying a baseline for teachers astronomy content knowledge. *Astronomy Education Review*, 2(3), 38-46.
- Caleon, Imelda & Subramaniam. (2010). Development and Application of a Three-Tier Diagnostic Test to Assess Secondary Students' Understanding of waves. *International Journal of Science Education*, 32(7), 939-961.
- Chambers, S. K., & Andre, T. (1997). Gender, Prior Knowledge, Interest, and Experience in Electricity and Conceptual Change Text Manipulations in Learning about Direct Current. *Journal of Research in Science Teaching*, 34(1), 107-123.
- Driver, R. A. Squires, Rushworth, P & Robinson, V. W. (1994). *Making Sense of Secondary Science: Research into Children's Ideas*. New York: Routledge.
- Eryilmaz, A. (2010). Development and Application of Three-tier Heat and Temperature Test: Sample of Bachelor and Graduate Student. *Eurasian Journal of Educational Research* 40(1): 53-76.
- Eryilmaz, A., & E. Sürmeli. (2002). "Üç-Aşamalı Sorularla Öğrencilerin Isı ve ıcaklık Konularındaki Kavram Yanılgılarının Ölçülmesi [Identifying Students' Misconception on Heat and Temperature through Three-Tier Questions]." *Paper presented at the 5th National Conference on Science and Mathematics Education*. Accessed February 7, 2011.
- Franklin, B. J. (1992). *The Development, Validation and Application of a Two-tier Diagnostic Instrument to Detect Misconceptions in the Areas of Force, Heat, Light and Electricity*. Unpublished doctoral dissertation, Louisiana State University and Agricultural and Mechanical College
- Goszewski, Matthew., Moyer, Adam., Bazan, Zachary, & Wagner, DJ. (2012). Exploring student difficulties with pressure in a fluid. *PERC Proceedings, Published by the American Association of Physics Teachers under a Creative Commons Attribution*.
- Guncay, D. & Gulbas, E. (2015). Development of three-tier heat, temperature, and internal energy diagnostic test. *Research in Science & Technological Education*, 5(1), 223-233.
- Halim, L., Yong, T. K., & Meerah, T. S. M. (2014). Overcoming students' misconceptions on forces in equilibrium: an action research study. *Creative Education*, 5(1), 1032-1042.
- Hammer, D. (1996). More than misconceptions: multiple perspectives on student knowledge and reasoning, and an appropriate role for education research. *American Journal of Physics*, 64(1), 1316-1325.
- Ivowi, U.M.O. & Uludotun, J.S.O. (1987). An investigation of resourses of misconception in phys-

- ics. Dalam Novak, J.D. (Ed). *Proceeding of the second international seminar misconception and educational and strategies in science and mathematics*, (3). Ithaca, New York: Cornell University
- Kariotoglou, P. & Psillos, D. (1993). Pupils' Pressure Models And Their Implications For Instruction. *Research In Science And Technological Education*, 11(1), 95-108.
- Kirbulut, Zubeyde Demet. (2014). Using Three-Tier Diagnostic Test to Assess Students' Misconceptions of States of Matter. *Eurasia Journal of Mathematics, Science & Technology Education*, 10(5), 509-521.
- Küçüközer, H. (2007). Prospective science teachers' conceptions about astronomical subjects. *Science Education International*, 18(2), 113-130.
- Kutluay, Yasin. (2005). *Diagnosis of Eleventh Grade Students' Misconceptions about Geometric Optic by a Three-Tier Test*. Thesis. Middle East Technical University
- Lawson, A. E. (1995). *Science Teaching and the Development of Thinking*. Belmont, CA: Watsworth Publishing Company
- Peşman, H., & A. Eryilmaz. (2010). Development of a Three-tier Test to Assess Misconceptions about Simple Electric Circuits. *The Journal of Educational Research*, 103(1), 208-222.
- Pratiwi, A & Wasis. (2013). Pembelajaran dengan praktikum sederhana untuk mereduksi miskonsepsi siswa pada materi fluida statis di kelas XI SMA Negeri 2 Tuban. *Jurnal Inovasi Pendidikan Fisika*, 2(3), 117-120.
- Sencar, S., & Eryilmaz, A. (2004). Factors mediating the effect of gender on ninth-grade turkish students' misconceptions concerning electric circuits. *Journal of Research in Science Teaching*, 4(1), 603-616.
- Soyinbo, K. (1993). Some Sources Of Students' Misconceptions In Biology. A Review In *The Proceedings Of The Third International Seminar On Misconceptions And Educational Strategies In Science And Mathematics, Misconceptions Trust: Ithaca, NY, USA*.
- Stover, S. & Saunders, G. (2000). Astronomical misconceptions and the effectiveness of science museums in promoting conceptual change. *Journal of Elementary Science Education*, 12(1), 41-52.
- Tan, K. C. D., Goh N. K., Chia L. S., & Treagust D. F. (2002). Development and application of a two-tier multiple choice diagnostic instrument to assess high school students' understanding of inorganic chemistry qualitative analysis. *Journal of Research in Science Teaching*, 39(4): 283-301.
- Trumper, R. (2003). The need for change in elementary school teacher training-a cross-college age study of future teachers conceptions of basic astronomy concepts. *Teaching and Teacher Education*, 19(1), 309-323. doi:10.1016/S0742-051X(03)00017-9
- Tsai, C. C. (1999). Overcoming junior high school students' misconceptions about microscopic views of phase change: a study of an analogy activity. *Journal of Science Education and Technology*, 8(1), 83-91.
- Türker, F. (2005). *Developing a Three-tier Test to Assess High School Students' Misconceptions Concerning Force and Motion*. Tesis. Middle East Technical University.
- Wong, T. K., & Sulaiman, S. (2008). The Level of Alternative Framework among Form Five Science Stream Students on the Topic of Buoyancy. *National Conference of Science and Mathematics Education*, Johor, Malaysia.
- Yalcin, M, Altun, S, Turgut, U, & Aggul F. (2008). First Year Turkish Science Undergraduates' Understanding and Misconceptions of Light. *Sci & Educ*, 18(1), 1083-1093.