

AUTHORS INDEX

A			
A. Hanafiah	137, 144 [43,3]	H. Suseno	41, 46 [43,1]
A. Insani	173 [43,3]	H. Tjahjono	157, 166 [43,3]
A. Ramadhani	63, 68 [43,2]	H.P. Rahardjo	149, 155 [43,3]
A. Yuniarto	87 [43,2]; 136 [43,3]	Herlina	1, 6, 33 [43,1]
A. Zeighami	145 [43,3]	I	
A.K. Jahja	173 [43,3]	I. Arif	55 [43,1]
B		I.A. Kudus	81, 86 [43,2]
Bharoto	63, 68 [43,2]	I. Saptiama	1, 6 [43,1]
Bunawas	92 [43,2]; 127, 136 [43,3]	I. Sumirat	63, 68 [43,2]
C		I.P. Susila	87, 92 [43,2]
C. Anam	55, 60 [43,1]	K	
C. Cahyana	87 [43,2]	K. Kudo	93, 102 [43,2]
C.M. Kang	47 [43,1]	K. Nabeshima	93 [43,2]
D		K. Takamats	93, 102 [43,2]
D. Ramadhani	75 [43,2]; 167 [43,3]	Kadarisman	1, 33 [43,1]
D. Setiawan	137 [43,3]	M	
D. Tetriana	167, 171 [43,3]	M. Hashemi-Tilehnoee	145, 148 [43,3]
D.D. Lestiani	119 [43,3]	M. Khalegh	145 [43,3]
Darlina	167 [43,3]	M. Rahgoshay	116 [43,2]; 145, 148 [43,3]
Deswita	173 [43,3]	M. Ramli	19, 25 [43,1]
E		M. Santoso	119, 125 [43,3]
E. Damastuti	119, 125 [43,3]	M. Subekti	93, 102 [43,2]
E. Sarmini	1, 6 [43,1]	M. Syaifudin	47 [43,1]; 75 [43,2]; 167, 171 [43,3]
E. Sukirman	173 [43,3]	M.B. Febrian	27 [43,1]
E.M. Widyasari	137 [43,3]	M.H. Altaf	69, 73 [43,2]
F		M.J. Pratiwi	41 [43,1]
F. Haryanto	55, 60 [43,1]	Marlina	1, 6 [43,1]
G		Muslim	41, 46 [43,1]
G. Dougherty	55 [43,1]	N	
G. Suhariyono	90, 92 [43,2]; 127, 136 [43,3]	N. Adventini	119 [43,3]
H		N. Lelaningtyas	35 [43,1]
H. Mugiraharjo	173 [43,3]	N.H. Badrun	69, 73 [43,2]
H. Setiawan	1 [43,1]	N.K. Oekar	137 [43,3]
		R	
		R. Widita	55, 60 [43,1]
		R.D. Haryuni	19, 24, 25 [43,1]

Reflinur	103, 108 [43,2]	T. Rahardjo	167 [43,3]
S		T. Wahyono	35 [43,1]
S. Dibyo	111, 116 [43,2]	T. Kisnanto	167, 171 [43,3]
S. Kurniawati	119 [43,3]	T. Rahardjo	167 [43,3]
S. Lee	17, 68 [43,1]; 173 [43,3]	T. Wahyono	35 [43,1]
S. Nurhayati	75 [43,2]; 167, 171 [43,3]	T.H. Priyanto	173 [43,3]
S. Purnami	47 [43,1]; 75 [43,2]	T.H.A. Wibawa	27 [43,1]
S.A. Santa	7, 18 [43,1]	T.Y.S. Panca Putra Triningsih	173, 179 [43,3] 19, 25 [43,1]
S.M. Tazul Islam	69 [43,2]	V	
Sairun	63 [43,2]	V.I. Sri Wardhani	149 [43,3]
Sihono	35 [43,1]	W	
Silakhuddin	81, 86 [43,2]	W.Y.N. Syahfitri	119 [43,3]
Sriyono	1, 6, 33 [43,1]	Y	
Susyadi	111, 116 [43,2]	Y. Lusiyanti	47 [43,1]; 80 [43,2]
Sutari	19, 25 [43,1]	Y. Setiadi	27 [43,1]
T		Y.S Lee	47 [43,1]; 68 [43,2]
T. Kamiyama	173 [43,3]	Yuliasti	103, 108 [43,2]
T. Kisnanto	167, 171 [43,3]		

KEYWORDS INDEX

A			14, 15, 16 [43,1]
Adsorption capacity	1, 2, 6, [43,1]	Drought tolerance	103,107 [43,2]
B		E	
Behavior	41, 42, 43, 45 [43,1]; 69, 70, 71, 72, 96, 133, 114 [43,2]; 151 [43,3]	Effective diameter (Deff)	55 [43,1]
Biodosimetry	47, 48, 49, 51, 52 [43,1]; 75, 76, 78, 79 [43,2]	Electrochemical	27, 28, 30, 32, 33 [43,1]; 173 [43,3]
C		Emergency irradiation exposure	47 [43,1]
Central region	81, 83 [43,2]	Environment	10, 36, 41, 42, 44, 45 [43,1]; 79, 87, 88, 89, 90,91, 92, 96, 105, 106, 111 [43,2]; 119, 120, 122, 123, 124, 125, 127, 128, 129, 130, 131, 135, 136, 157, 162 [43,3]
Charcoal	127, 128, 130, 131, 132, 134, 135, 136 [43,3]	Environmental gamma dose rate	87, 88, 89, 90, 91 [43,2]
Cladding temperature	69, 70, 71, 72 [43,2]; 152, 153 [43,3]	F	
Continuous monitoring	87, 91 [43,2]	FASSIP-01 model	157 [43,3]
Critical heat flux	149, 150, 151, 152, 153, 154 [43,3]	Filariasis	137, 138, 142, 143 [43,3]
Cryopreservation	167, 168, 169, 170, 171 [43,3]	Fragmentation	19, 20, 21 [43,1]
CT scanner	55, 56, 57 [43,1]	G	
Cyclotron	81, 82, 83, 85, 86 [43,2]	Gamma irradiation	35, 36, 37, 38 [43,1]; 104 [43,2]
¹³⁷ Cs	4, 12, 13, 41, 42, 43, 44, 45 [43,1]; 127, 128, 129, 131 [43,3]	Gamma spectrometry	7 [43,1]; 135 [43,3]
D		GM probe	87, 88 [43,2]
Data acquisition	63, 64, 65, 66, 67 [43,2]	Grain size	41, 44, 45 [43,1]
Diagnostic	1, 27, 55 [43,1]; 76 [43,2]; 137, 138, 142, 143 [43,3]	H	
Dysenteric chromosome	47, 48, 49, 50, 51, 52 [43,1]	Head position	81, 83 [43,2]
Diethylcarbamazine citrate	137, 138 [43,3]	HEATHYD program	149, 150, 151, 152 [43,3]
Direct	8, 31, 50, 52, 55, 56, 57 [43,1]; 88, 95, 97, 105 [43,2]; 127, 128, 129, 130 [43,3]	Heavy metals	44 [43,1]; 119, 120, 122, 123, 124 [43,3]
Dispersion	42, 50, 53 [43,1]; 75, 77, 79 [43,3]	HTTR	93, 94, 96,102 [43,2]
Doppler feedback	69, 71, 72 [43,2]	Human hair	119, 120, 121, 122, 124, 125 [43,3]
Dosimeter material	7, 8, 9, 10, 12, 13,	I	
		In sacco	35, 36, 38 [43,1]
		Indirect	8 [43,1]; 127, 128, 129, 130, 131, 132, 133, 134, 135 [43,3]
		Injection	111, 112, 113, 114, 115, 116 [43,2]; 137, 139, 140, 141, 142,

	143 [43,3]	Nuclear analytical technique	119, 125 [43,3]
In-situ	90 [43,2]; 127, 129, 131, 132 [43,3]	Nuclear reactor	2, 7 [43,1]; 116 [43,2]; 121, 154, 157, 158, 165 [43,3]
Intraerythrocytic	167 [43,3]	O	
Iodine-131	127, 128, 135 [43,3]	Occupational exposure	119, 120, 123, 124, 125 [43,3]
Ion source	10, 55 [43,1]; 81, 82, 83, 85, 86, 89 [43,2]; 129, 131, 132 [43,3]	Online application	93 [43,2]
Irradiation	2, 7, 8, 9, 10, 12, 13, 14, 15, 16, 28, 35, 36, 37, 38, 47, 48, 49, 50, 51, 52, 53, [43,1]; 76, 77, 79, 89, 104 [43,2]; 121, 150, 168 [43,3]	Optimization	25, 27, 28, 29, 30, 31, 33 [43,1]; 81, 82, 97, 98, 100, 101 [43,2]
¹³¹ I	127, 128, 129, 130, 131, 132, 133, 134, 135, 136 [43,3]	Organic matter	35, 36, 37, 41, 43, 44, 45 [43,1]
L		OTSG	145, 146, 147, 148 [43,3]
LiMn2O4	173, 174, 175, 176, 177, 178 [43,3]	Outdoor	127, 128, 130, 131, 132, 133, 134, 135 [43,3]
(¹⁷⁷ Lu)n-(DOTA)m-PAMAM G 3.0-F(ab')2-trastuzumab	19 [43,1]	P	
M		Partial body exposure	52 [43,1]; 75, 76, 78, 79 [43,2]
Malaria	167, 168, 169, 170 [43,3]	Passive system	157 [43,3]
MATLAB	157, 158, 162, 163 [43,3]	Phase transition	173, 174, 178 [43,3]
Method development	93 [43,2]	Plasmodium falciparum	167 [43,3]
Micronuclei	47, 48, 49, 53 [43,1]; 75, 76, 78, 79 [43,2]	Plate fuel	149, 151, 154 [43,3]
Micronucleus	48 [43,1]; 75, 76 [43,2]	Pressurizer	111, 112, 113, 114, 115, 116 [43,2]
Molybdenum-99	1, 33, [43,1]	PWR	94, 102, 111, 113 [43,1]; 145 [43,3]
Mutant	103, 104, 105, 106, 107, 108 [43,2]	R	
N		Radiation	2, 7, 8, 9, 10, 11, 12, 14, 15, 16, 25, 28, 35, 36, 37, 38, 41, 47, 48, 49, 50, 51, 52, 53, 55, 56, 60 [43,1]; 75, 76, 77, 78, 79, 80, 81, 87, 88, 89, 91, 92, 103, 104, 108 [43,2]; 121, 127, 128, 129, 130, 131, 132, 135, 138, 144, 150, 157, 161, 167, 168, 170, 174 [43,3]
NaNO2	27, 28, 29, 30, 31, 33 [43,1]	Radioactive concentration	27, 29, 31 [43,1]
Nanozirconia	1 [43,1]	Radioimmunotherapy agent	19, 25 [43,1]
Neutron	2, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 27 [43,1]; 63, 64, 65, 66, 67, 68, 69, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102 [43,2]; 119, 120, 121, 150, 151, 152, 173, 174, 176, 178 [43,3]	Radiological emergency	87 [43,2]

Reactivity determination	93, 98, 99, 100, 102 [43,2]	Steam generator	112 [43,1]; 145, 146, 147, 148 [43,3]
RELAP5	111, 112, 113, 114, 115, 116 [43,2]; 146, 164 [43,3]	Stoichiometric	173, 174, 175, 178 [43,3]
RIA	69, 70, 72 [43,2]	Structure	6, 10, 20, 38, 48 [43,1]; 91, 97, 107, 111, 112, 113 [43,2]; 138, 150, 158, 173, 174, 175, 177 [43,3]
Ruminal degradation	35, 36, 38 [43,1]	Supply some 4–6 keywords	55 [43,1]; 103 [43,2]
S		Sweet sorghum bagasse	35, 36, 37, 38 [43,1]
Safety analysis	69, 73 [43,2]; 149 [43,3]	T	
Samurai 1	35, 36, 37, 38 [43,1]	Technetium-99m	6, 27, 33 [43,1]; 137, 138 [43,3]
Sayung-Demak	41, 45 [43,1]	Theory transport	7 [43,1]
Scattering	63, 64, 67, 68 [43,2]; 174 [43,3]	THERMIT	145, 146, 147, 148 [43,3]
Serpong nuclear complex	87, 89, 91 [43,2]	Thermosyphon	157, 158, 159, 160, 165 [43,3]
Simulation	69, 70, 75, 81, 82, 83, 85, 86, 93, 111, 112, 113, 114, 115, 116 [43,2]; 146, 148, 154, 157, 158, 162 [43,3]	Traffic services officers	119, 120, 122, 123, 124 [43,3]
Size-specific dose estimate (SSDE)	55, 56 [43,1]	Trastuzumab	19, 20, 21, 22, 23, 24, 25 [43,1]
Software	3, 4, 5, 49, 51, 56 [43,1]; 63, 64, 65, 66, 67, 75, 77, 81, 83, 85, 88, 90, 93, 105 [43,2]; 121, 129, 151, 154, 165, 169, 174 [43,3]	TRIGA reactor	69, 71, 73 [43,2]; 149, 150, 151, 155 [43,3]
Sol-gel method	1, 3 [43,1]	U	
Soybean	36 [43,1]; 103, 104, 105, 106, 107, 108 [43,2]; 139 [43,3]	Unfolding method	7 [43,1]
Spectrometer	3, 10, 43 [43,1]; 63, 64, 65, 67, 90 [43,2]; 121, 130 [43,3]	Unprotected TRIGA	69, 72 [43,2]
Sprayer	111, 112, 114, 115, 116 [43,2]	V	
SSR markers analysis	103 [43,2]	Verification	93, 97 [43,2]; 138, 143 [43,3]
Stack	57 [43,1]; 127, 128, 129, 130, 131, 132, 133, 134, 135, 136 [43,3]	Volume CT dose index (CTDIvol)	55, 56 [43,1]
		W	
		Withdrawal test	93, 94, 95, 99, 101 [43,2]
		Workshop workers	119, 120, 122, 123, 124 [43,3]

ACKNOWLEDGMENT

The following Peer Reviewers:

- Imam Kambali, M.Phil., Ph.D. (BATAN, Indonesia)
- Prof. Sunarhadijoso, M.Si. (BATAN, Indonesia)
- Martalena Ramli, M.Sc., Ph.D. (BATAN, Indonesia)
- Dr. Sigit Santoso (BATAN, Indonesia)
- Dr. Ing. Ir. Sihana (University of Gajah Mada, Indonesia)
- Dr. Ir. Anhar Riza Antariksawan (BATAN, Indonesia)
- Prof. Dr. Malcolm F. Collins (McMaster University, Hamilton, Canada)
- Ass. Professor Chris Ling (University of Sydney, Australia)

who have been involved in the reviewing of the articles in this issue of Atom Indonesia Vol. 43 No. 3 December (2017) are greatly acknowledged.