

A Two-Warehouse Model for Deteriorating Items with Holding Cost under Particle Swarm Optimization

Mr. Raj Kumar Singh¹, Dr. Ajay Singh Yadav², Ms. Anupam Swami³

¹Research Scholar, Monad University, Hapur, U.P. India.

²Department of Mathematics, SRM University, NCR Campus Ghaziabad, U.P. India.

³Department of Mathematics, Govt. P. G. College, Sambhal, U.P. India.

Abstract— A deterministic inventory model has been developed for deteriorating items and Particle Swarm Optimization (PSO) having a ramp type demands with the effects of inflation with two-warehouse facilities. The owned warehouse (OW) has a fixed capacity of W units; the rented warehouse (RW) has unlimited capacity. Here, we assumed that the inventory holding cost in RW is higher than those in OW. Shortages in inventory are allowed and partially backlogged and Particle Swarm Optimization (PSO) it is assumed that the inventory deteriorates over time at a variable deterioration rate. The effect of inflation has also been considered for various costs associated with the inventory system and Particle Swarm Optimization (PSO). Numerical example is also used to study the behaviour of the model. Cost minimization technique is used to get the expressions for total cost and other parameters.

Keywords— Particle Swarm Optimization, PSO, OW, RW, EOQ model.

I. INTRODUCTION

Many researchers extended the EOQ model to time-varying demand patterns. Some researchers discussed of inventory models with linear trend in demand. The main limitations in linear-time varying demand rate is that it implies a uniform change in the demand rate per unit time. This rarely happens in the case of any commodity in the market. In recent years, some models have been developed with a demand rate that changes exponentially with time. For seasonal products like clothes, Air conditions etc. at the end of their seasons the demand of these items is observed to be exponentially decreasing for some initial period. Afterwards, the demand for the products becomes steady rather than decreasing exponentially. It is believed that such type of demand is quite realistic. Such type situation can be represented by ramp type demand rate. An important issue in the inventory theory is related to how to deal with the unfulfilled demands which occur during shortages or

stock outs. In most of the developed models researchers assumed that the shortages are either completely backlogged or completely lost. The first case, known as backordered or backlogging case, represent a situation where the unfulfilled demand is completely back ordered. In the second case, also known as lost sale case, we assume that the unfulfilled demand is completely lost.

II. PARTICLE SWARM OPTIMIZATION ALGORITHM

Particle Swarm Optimization (PSO) introduced by Kennedy and Eberhart in 1995 is a population based evolutionary computation technique. It has been developed by simulating bird flocking fish schooling or sociological behaviour of a group of people artificially. Here the population of solution is called swarm which is composed of a number of agents known as particles. Each particle is treated as point in d -dimensional search space which modifies its position according to its own flying experience and that of other particles present in the swarm. The algorithm starts with a population (swarm) of random solutions (particles). Each particle is assigned a random velocity and allowed to move in the problem space. The particles have memory and each of them keeps track of its previous (local) best position.

Z^v particle's velocity

S^v particle's position

v number of elements in a particle,

q inertia weight of the particle,

m generation number,

U_1, U_2 acceleration constants,

e and random value between 0 and 1


R_{abest}^v local best position of the particle,

R_{qbest}^v global best position of particle in the swarm

$$Z_m^v = q \times Z_{m-1}^v + U_1 \times e \text{and}_1 \times [Z_{abest}^v - S_{m-1}^v] + U_2 \times e \text{and}_2 \times [Z_{qbest}^v - S_{m-1}^v]$$

$$Y_m^v = Y_{m-1}^v + Z_m^v$$

Concept of modification of a searching point by PSO



III. RELATED WORK

Buzacott (1975) developed the first EOQ model taking inflationary effects into account. In this model, a uniform inflation was assumed for all the associated costs and an expression for the EOQ was derived by minimizing the average annual cost. Misra (1975, 1979) investigated inventory systems under the effects of inflation. Bierman and Thomas (1977) suggested the inventory decision policy under inflationary conditions. An economic order quantity inventory model for deteriorating items was developed by Bose et al. (1995). Authors developed inventory model with linear trend in demand allowing inventory shortages and backlogging. The effects of inflation and time-value of money were incorporated into the model. Hariga and Ben-Daya (1996) then discussed the inventory replenishment problem over a fixed planning horizon for items with linearly time-varying demand under inflationary conditions. Ray and Chaudhuri (1997) developed a finite time-horizon deterministic economic order quantity inventory model with shortages, where the demand rate at any instant depends on the on-hand inventory at that instant. The effects of inflation and time value of money were taken into account. The effects of inflation and time-value of money on an economic order quantity model have been discussed by Moon and Lee (2000). The two-warehouse inventory models for deteriorating items with constant demand rate under inflation were developed by Yang (2004). The shortages were allowed and fully backlogged in the models. Some numerical examples for illustration were provided. Models for ameliorating / deteriorating items with time-varying demand pattern over a finite planning horizon were proposed by Moon et al. (2005). The effects of inflation and time value of money were also taken into account. An inventory model for deteriorating items with stock-dependent consumption rate with shortages was produced by Hou (2006). Model was developed under the

effects of inflation and time discounting over a finite planning horizon. Jaggi et al. (2007) presented the optimal inventory replenishment policy for deteriorating items under inflationary conditions using a discounted cash flow (DCF) approach over a finite time horizon. Shortages in inventory were allowed and completely backlogged and demand rate was assumed to be a function of inflation. Two stage inventory problems over finite time horizon under inflation and time value of money was discussed by Dey et al. (2008).

The concept of soft computing techniques (fuzzy logic) first introduced by Zadeh (1965). The invention of soft computing techniques (fuzzy set theory or fuzzy logic) by the need to represent and capture the real world problem with its fuzzy data due to uncertainty. Instead of ignoring or avoiding uncertainty, Zadeh developed a set theory to remove this uncertainty. It is to use hybrid intelligent methods to quickly achieve an inexact solution rather than use an exact optimal solution via a big search. Since Genetic Algorithms are good for adaptive studies and fuzzy logic can be used to solve complex problems using linguistic rule-based techniques. Silver and Peterson (1985) discussed on decision systems for inventory management and production planning. Zimmermann (1985) gives a review on fuzzy set theory and its applications. Bard and Moore (1990) discussed a model for production planning with variable demand. Avraham (1999) presented a review on enterprise resource planning (ERP). Ata Allah Taleizadeh et al. (2013) discussed a hybrid method of fuzzy simulation and genetic algorithm to optimize constrained inventory control systems with stochastic replenishments and fuzzy demand. Javad Sadeghi and Seyed taghi akhavan niaki (2015) developed two parameter tuned multi-objective evolutionary algorithms for a bi-objective vendor managed inventory model with trapezoidal fuzzy demand. Partha Guchhait et al. (2013) suggested a production inventory model with fuzzy production and

demand using fuzzy differential equation: An interval compared genetical gorithm approach. U.K. Bera et al. (2012) suggested inventory model with fuzzy lead-time and dynamic demand over finite time horizon using a multi-objective genetic algorithm. Ata Allah Taleizadeh et al. (2009) developed a hybrid method of Pareto, TOPSIS and genetic algorithm to optimize multi-product multi-constraint inventory control systems with random fuzzy replenishments. Ali Roozbeh Nia et al. (2014) suggested a fuzzy vendor managed inventory of multi-item economic order quantity model under shortage: An ant colony optimization algorithm. Javad Sadeghi et al. (2014) developed optimizing a hybrid vendor-managed inventory and transportation problem with fuzzy demand: An improved particle swarm optimization algorithm. Manas Kumar Maiti (2011) developed A fuzzy genetic algorithm with varying population size to solve an inventory model with credit-linked promotional demand in an imprecise planning horizon. H. Altay Guvenir and Erdal Erel (1998) suggested Multicriteria inventory classification using a genetic algorithm. Kuo-Ping Lin et al. (2010) developed a simulation of vendor managed inventory dynamics using fuzzy arithmetic operations with genetic algorithms . Manas Kumar Maiti, and Manoranjan Maiti (2007) discussed Two-warehouse inventory model with lot-size dependent fuzzy lead-time under possibility constraints via genetic algorithm . Arindam Roy et al. (2009) suggested a production inventory model with stock dependent demand incorporating learning and inflationary effect in a random planning horizon: A fuzzy genetic algorithm with varying population size approach . Ata Allah Taleizadeh et al. (2013) discussed Replenish-up-to multi-chance-constraint inventory control system under fuzzy random lost-sale and backordered quantities. Mohammad Hemmati Far, et al. (2015) suggested a hybrid genetic and imperialist competitive algorithm for green vendor managed inventory of multi-item multi-constraint EOQ model under shortage. Ren Qing-dao-er-ji, et al. (2013) suggested Inventory based two-objective job shop scheduling model and its hybrid genetic algorithm. Ali Diabat (2014) suggested Hybrid algorithm for a vendor managed inventory system in a two-echelon supply chain. Javad Sadeghi et al. (2014) discussed optimizing a bi-objective inventory model of a three-echelon supply chain using a tuned hybrid bat algorithm. Ata Allah Taleizadeh et al. (2012) discussed Multi-product multi-chance-constraint stochastic inventory control problem with dynamic demand and partial back-ordering: A harmony search algorithm. S. Fallah-Jamshidi et al. (2011) suggested a hybrid multi-objective genetic algorithm for

Assumption
 planning order release date in two-level assembly system with random lead times. Javad Sadeghi et al. (2014) suggested Optimizing a bi-objective inventory model of a three-echelon supply chain using a tuned hybrid bat algorithm. Ata Allah Taleizadeh et al. (2013) discussed Replenish-up-to multi-chance-constraint inventory control system under fuzzy random lost-sale and backordered quantities. S. Mondal, and M. Maiti (2003) suggested Multi-item fuzzy EOQ models using genetic algorithm. S. Fallah-Jamshidi et al. (2011) discussed a hybrid multi-objective genetic algorithm for planning order release date in two-level assembly system with random lead times.

IV. ASSUMPTION AND NOTATIONS

The mathematical model of two warehouse inventory model for deteriorating items is based on the following notation and assumptions

Notations:

O_c : Cost of Ordering per Order

ϕ : Capacity of OW.

K : The length of replenishment cycle.

M : Maximum inventory level per cycle to be ordered.

k_1 : the time up to which product has no deterioration.

k_2 : The time at which inventory level reaches to zero in RW.

k_3 : The time at which inventory level reaches to zero in OW.

H^{OW} : The holding cost per unit time in OW i.e. $H^{OW}=(u+1)_1$; where $(u+1)_1$ is positive constant.

H^{RW} : The holding cost per unit time in RW i.e. $H^{RW}=(u+1)_2k$ where $(u+1)_2 > 0$ and $H^{RW} > H^{OW}$.

S_c : The shortages cost per unit per unit time.

$\Psi^{1RW}(k)$: The level of inventory in RW at time $[0 k_1]$ in which the product has no deterioration.

$\Psi^{2RW}(k)$: The level of inventory in RW at time $[k_1 k_2]$ in which the product has deterioration.

$\Psi^{1OW}(k)$: The level of inventory in OW at time $[0 k_1]$ in which the product has no Deterioration.

$\Psi^{2OW}(k)$: The level of inventory in OW at time $[k_1 k_2]$ in which only Deterioration takes place.

$\Psi^{3OW}(k)$: The level of inventory in OW at time $[k_2 k_3]$ in which Deterioration takes place.

$\Psi_s(k)$: Determine the inventory level at time k in which the product has shortages.

$(v - 1)$: Deterioration rate in RW Such that $0 < (v-1) < 1$;

$(\omega + 1)$: Deterioration rate in OW such that $0 < (\omega+1) < 1$;

R_d : Deterioration cost per unit in RW. k

O_d : Deterioration cost per unit in OW.

$K^{PC}(k_2, k_3, K)$: The total relevant inventory cost per unit time of inventory system.

- | | | | |
|---|--|---|--|
| 1 | Replenishment rate is infinite and lead time is negligible i.e. zero. | 6 | Demand vary with time and is linear function of time and given by $D(k)=(ab+u)k$; where $(ab+u)>0$ |
| 2 | Holding cost is variable and is linear function of time. | 7 | For deteriorating items a fraction of on hand inventory deteriorates per unit time in both the warehouse with different rate of Deterioration. |
| 3 | The time horizon of the inventory system is infinite. | 8 | Shortages are allowed and demand is fully backlogged at the beginning of next replenishment. |
| 4 | Goods of OW are consumed only after the consumption of goods kept in RW due to the more holding cost in RW than in OW. | 9 | The unit inventory cost (Holding cost + Deterioration cost) in RW>OW. |
| 5 | The OW has the limited capacity of storage and RW has unlimited capacity. | | |

V. MATHEMATICAL FORMULATION OF MODEL AND ANALYSIS

In the beginning of the cycle at $k=0$ a lot size of M units of Inventory enters in to the system in which backlogged $(M-R)$ units are cleared and the remaining units R is kept in to two storage as W units in OW and RW units in RW.

$$\frac{d\Psi^{1RW}(k)}{dk} = -(ab+u)k ; \quad 0 \leq k \leq k_1 \quad (1)$$

$$\frac{d\Psi^{2RW}(k)}{dk} = -(v-1)\Psi^{2RW}(k) - (ab+u)k ; \quad k_1 \leq k \leq k_2 \quad (2)$$

$$\frac{d\Psi^{1W}(k)}{dk} = 0 ; \quad 0 \leq k \leq k_1 \quad (3)$$

$$\frac{d\Psi^{2W}(k)}{dk} = -(\omega+1)\Psi^{2W}(k) ; \quad k_1 \leq k \leq k_2 \quad (4)$$

$$\frac{d\Psi^{3W}(k)}{dk} = -(\omega+1)\Psi^{3W}(k) - (ab+u)k ; \quad k_2 \leq k \leq k_3 \quad (5)$$

$$\frac{d\Psi^{4S}(k)}{dk} = -(ab+u)k ; \quad k_3 \leq k \leq K \quad (6)$$

Now Inventory level at different time intervals is given by solving the above differential equations (1) to (6) with boundary conditions as follows:

At $k=0$,

$$\Psi^{1RW}(k) = R - W$$

There fore Differential eq. (1) gives

$$\Psi^{1RW}(k) = R - W - \frac{(ab+u)k^2}{2} ; \quad 0 \leq k \leq k_1 \quad (7)$$

Differential eq. (2) is solved at $k=k_2$ and boundary condition $\Psi^{2RW}(k_2)=0$, which yields

$$\Psi^{2RW}(k) = \frac{(ab+u)}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-k)} - ((v-1)k - 1) \} ; \quad k_1 \leq k \leq k_2 \quad (8)$$

Solution of differential eq. (3) with boundary condition at $k=0$ and $\Psi^{1OW}(0)=W$

$$\Psi^{1OW}(k) = \varphi ; \quad 0 \leq k \leq k_1 \quad (9)$$

Differential eq. (4) yields at $k=k_1$ and $\Psi^{2OW}(k_1) = \varphi$

$$\Psi^{2OW}(k) = \varphi e^{(\omega+1)(k_1-k)} ; \quad k_1 \leq k \leq k_2 \quad (10)$$

Solution of eq. (5) at $k=k_3$ and $\Psi^{3OW}(k_3) = 0$ gives

$$\Psi^{3OW}(k) = \frac{(ab+u)}{(\omega+1)^2} \{ (\beta k_3 - 1)e^{(\omega+1)(k_3-k)} - ((\omega+1)k - 1) \} ; \quad k_2 \leq k \leq k_3 \quad (11)$$

Lastly the solution of eq. (6) at $k=k_3$ and $\Psi^{4S}(k_3)=0$, is given as

$$\Psi^{4S}(k) = \frac{(ab+u)}{2} \{ k_3^2 - k^2 \} ; \quad k_3 \leq k \leq K \quad (12)$$

Now considering the continuity of $\Psi^{1R}(k_1) = \Psi^{2R}(k_1)$, at $k=k_1$ from eq. (7) & (8) we have

$$R = \varphi + \frac{(ab+u)k_1^2}{2} + \frac{(ab+u)}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-k_1)} - ((v-1)k_1 - 1) \} ; \quad (13)$$

Substituting eq.(13) in to eq. (7) we have

$$\Psi^{1RW}(k) = \frac{b}{2}(k_1^2 - k^2) + \frac{b}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-k_1)} - ((v-1)k_1 - 1) \} ; \quad (14)$$

Cost of Inventory shortages during time interval $[k_3, K]$ is given $(u+1)y$

$$IS = \int_{k_3}^K [-\Psi_s(k)] dk \quad (15)$$

The maximum Inventory to be ordered is

$$M = R + IS \tag{16}$$

Next the total relevant Inventory Cost per cycle consists of the following elements:

1. Cost of ordering = O_c (17)

2. Inventory holding Cost in RW

$$\Psi^{HRW} = \int_0^{k_1} \Psi^{1RW}(k)(u+1)_2 k dk + \int_{k_1}^{k_2} \Psi^{2RW}(k)(u+1)_2 k dk \tag{18}$$

3. Inventory holding Cost in OW

$$\Psi^{HOW} = \int_0^{k_1} \Psi^{1OW}(k)(u+1)_1 k dk + \int_{k_1}^{k_2} \Psi^{2OW}(k) dk + \int_{k_2}^{k_3} \Psi^{3OW}(k)(u+1)_1 k dk \tag{19}$$

4. Cost of Inventory deteriorated in RW

$$\Psi^{DRW} = (R-W) - \int_{k_1}^{k_2} (ab+u)k dk$$

$$= \frac{b}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-t_1)} - ((v-1)k_1 - 1) \} - \frac{(u+1)}{2} (k_2^2 - 2k_1^2)$$

Cost of deteriorated Inventory in RW is given by

$$C\Psi^{DRW} = D_R \left\{ \frac{b}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-k_1)} - ((v-1)k_1 - 1) \} - \frac{(ab+u)}{2} (k_2^2 - 2k_1^2) \right\} \tag{20}$$

5. Cost of Inventory deteriorated in OW

$$\Psi^{DOW} = \phi - \int_{k_2}^{k_3} (ab+u)k dk$$

$$= \phi - \frac{b}{2} (k_3^2 - k_2^2)$$

Cost of deteriorated Inventory in OW is given by

$$C\Psi^{DOW} = O_d \left\{ \phi - \frac{(ab+u)}{2} (k_3^2 - k_2^2) \right\} \tag{21}$$

6. Inventory Shortages Cost

$$CIS = S_c \left[\frac{(ab+u)}{6} \{ K^3 + 2k_3^3 - 3k_3^2 K \} \right] \tag{22}$$

$\mathbf{K}^{\Psi C}(\mathbf{k}_2, \mathbf{k}_3, \mathbf{K}) = \frac{1}{K} [\text{Ordering cost} + \text{Inventory holding cost per cycle in RW} + \text{Inventory holding cost per cycle in OW} + \text{Deterioration cost per cycle in RW} + \text{Deterioration cost per cycle in OW} + \text{Shortage cost}]$

$$(23)$$

$$\mathbf{K}^{\Psi C}(\mathbf{k}_2, \mathbf{k}_3, \mathbf{K}) = \frac{1}{K} \left[O_c + \frac{bb_2}{8} k_1^4 + \frac{(ab+u)(u+1)_2}{2(v-1)^2} \{ ((v-1)k_2-1)e^{(v-1)(k_2-k_1)} - ((v-1)k_1 - 1) \} k_1^2 + \frac{(ab+u)(u+1)_2}{(v-1)^4} (\alpha k_2 - 1) \{ (e^{\alpha(k_2-k_1)} - 1) - (v-1)(k_2 - t_1 e^{\alpha(k_2-k_1)}) \} - \frac{(ab+u)(u+1)_2}{6(v-1)^2} \{ 2(v-1)(k_2^3 - k_1^3) - 3(k_2^2 - k_1^2) \} + \frac{\phi(u+1)_1 k_1^2}{2} + \frac{(u+1)_1 \phi}{\beta^2} \{ (1 - e^{-(\omega+1)(k_2-k_1)}) - (\omega+1)(k_2 e^{-(\omega+1)(k_2-k_1)} - k_1) \} + \frac{bb_1}{\beta^4} ((\omega+1)t_3 - 1) \{ (e^{(\omega+1)(k_3-k_2)} - 1) - (\omega+1)(k_3 - k_2 e^{(\omega+1)(k_3-k_2)}) \} - \frac{(u+1)(u+1)_1}{6\beta^2} \{ 2(\omega+1)(k_3^3 - k_2^3) - 3(k_3^2 - k_2^2) \} + R_d \left\{ \frac{b}{\alpha^2} \{ ((v-1)k_2 - 1)e^{(v-1)(k_2-t_1)} - ((v-1)k_1 - 1) \} + \frac{(u+1)}{2} (k_2^2 - k_1^2) \right\} + O_d \left\{ \phi - \frac{b}{2} (k_3^2 - k_2^2) \right\} + S_c \left\{ \frac{b}{6} \{ K^3 + 2k_3^3 - 3k_3^2 K \} \right\} \right] \tag{24}$$

VI. NUMERICAL EXAMPLE

In order to illustrate the above solution procedure, consider an inventory system with the following data in appropriate units: $C=100$, $\phi=75$, $(ab+u)=5$, $(u+1)_1=1.5$, $(u+1)_2=1.2$, $t_1=0.3$, $(v-1)=0.65$, $(\omega+1)=0.23$, $C_s=3.4$, and $C_k=3.2$. The values of decision variables are computed for the model and also for the models of special cases. The computational optimal solutions of the models are shown in Table-1.

Table-1:

Cost function	$\mathbf{T}^{\Psi C}(\mathbf{k}_2, \mathbf{k}_3, \mathbf{K})$
k_2	1.12455
k_3	2.14757
K	17.1285
Total relevant cost	1011.15
Particle Swarm Optimization (PSO)	534.51

VII. CONCLUSION

In this study we have future a deterministic two-warehouse facilities inventory model for two-warehouse inventory model deteriorating items time varying demand and two-warehouse inventory model holding cost varying with respect to ordering cycle length with the objective of minimizing the total inventory cost and Particle Swarm Optimization (PSO). Particle Swarm Optimization (PSO) Two-warehouse inventory model Shortages are allowed and two-warehouse inventory model partially backlogged and Particle Swarm Optimization (PSO). Furthermore the proposed model is very useful for two-warehouse inventory model deteriorating items. This model can be further extended by incorporation with other deterioration rate probabilistic demand pattern and Particle Swarm Optimization (PSO)

REFERENCES

- [1] **Diabat, A. (2014).** Hybrid algorithm for a vendor managed inventory system in a two-echelon supply chain *European Journal of Operational Research*, Volume 238, Issue 1, 1 October 2014, Pages 114-121.
- [2] **Nia, A. R., Far, M. H., & Niaki, S. T. A. (2014).** A fuzzy vendor managed inventory of multi-item economic order quantity model under shortage: An ant colony optimization algorithm *International Journal of Production Economics*, Volume 155, September 2014, Pages 259-271.
- [3] **Roy, A., Pal, S., & Maiti, M. K. (2009).** A production inventory model with stock dependent demand incorporating learning and inflationary effect in a random planning horizon: A fuzzy genetic algorithm with varying population size approach *Computers & Industrial Engineering*, Volume 57, Issue 4, November 2009, Pages 1324-1335.
- [4] **Bose, S., Goswami, A., & Chaudhuri, K.S. (1995).** An EOQ model for deteriorating items with linear time dependent demand rate and shortage under inflation and time discounting. *J.O.R.S.*, 46, 777-782.
- [5] **Buzacott, J.A. (1975).** Economic order quantities with inflation. *Operational Research Quarterly*, 26, 553-558.
- [6] **Dey, J.K., Mondal, S.K., & Maiti, M. (2008).** Two storage inventory problem with dynamic demand and interval valued lead-time over finite time horizon under inflation and time-value of money. *E.J.O.R.*, 185, 170-194.
- [7] **Silver, E. A., & Peterson, R. (1985).** *Decision Systems for Inventory Management and Production Planning*, John Wiley & Sons, New York.
- [8] **Guvenir, A. H., & Erel, E. (1998).** Multicriteria inventory classification using a genetic algorithm *European Journal of Operational Research*, Volume 105, Issue 1, 16 February 1998, Pages 29-37.
- [9] **Hou, K.L. (2006).** An inventory model for deteriorating items with stock dependent consumption rate and shortages under inflation and time discounting. *E.J.O.R.*, 168, 463-474.
- [10] **Bard, J. F., & Moore, J. T. (1990).** *Production Planning with Variable Demand*. Omega, vol. 18, no. 1, pp. 35-42.
- [11] **Jaggi, C.K., Aggarwal, K.K. & Goel, S.K. (2007).** Optimal order policy for deteriorating items with inflation induced demand. *I.J.P.E.*, 103 (2), 707-714.
- [12] **Sadeghi, J., Sadeghi, S., & Niak, A. T. S. (2014).** Optimizing a hybrid vendor-managed inventory and transportation problem with fuzzy demand: An improved particle swarm optimization algorithm *Information Sciences*, Volume 272, 10 July 2014, Pages 126-144.
- [13] **Maiti, M. K. (2011).** A fuzzy genetic algorithm with varying population size to solve an inventory model with credit-linked promotional demand in an imprecise planning horizon *European Journal of Operational Research*, Volume 213, Issue 1, 16 August 2011, Pages 96-106.
- [14] **Maiti, M. K., & Maiti, M. (2007).** Two-warehouse inventory model with lot-size dependent fuzzy lead-time under possibility constraints via genetic algorithm *European Journal of Operational Research*, Volume 179, Issue 2, 1 June 2007, Pages 352-371.
- [15] **Misra, R.B. (1979).** A note on optimal inventory management under inflation. *N.R.L.*, 26, 161-165.
- [16] **Moon, I., & Lee, S. (2000).** The effects of inflation and time-value of money on an economic order quantity model with a random product life cycle. *E.J.O.R.*, 125, 588-601.
- [17] **Moon, I., Giri, B.C., & Ko, B. (2005).** Economic order quantity models for ameliorating / deteriorating items under inflation and time discounting. *E.J.O.R.*, 162 (3), 773-785.
- [18] **Guchhait, P., Maiti, M. K., & Maiti, M. (2013).** A production inventory model with fuzzy production and demand using fuzzy differential equation: An interval compared genetic algorithm approach *Engineering Applications of*

- Artificial Intelligence, Volume 26, Issue 2, February 2013, Pages 766-778.
- [19] **Ray, J., & Chaudhuri, K. S. (1997).** An EOQ model with stock-dependent demand, shortage, inflation and time discounting. *I.J.P.E.*, 53 (2), 171-180.
- [20] **Mondal, S., & Maiti, M. (2003).** Multi-item fuzzy EOQ models using genetic algorithm *Computers & Industrial Engineering*, Volume 44, Issue 1, January 2003, Pages 105-117.
- [21] **Bera, U.K., Maiti, M.K. & Maiti, M. (2012).** Inventory model with fuzzy lead-time and dynamic demand over finite time horizon using a multi-objective genetic algorithm *Computers & Mathematics with Applications*, Volume 64, Issue 6, September 2012, Pages 1822-1838.
- [22] **Yang, H.L. (2004).** Two-warehouse inventory models for deteriorating items with shortages under inflation. *E.J.O.R.*, 157, 344-356.