

Left Zero Divisor Graphs of Totally Ordered Rings

Satyanarayana Bhavanari¹, Srinivasulu Devanaboina², Mallikarjun Bhavanari³

¹Department of Mathematics, Acharya Nagarjuna University, Nagarjuna Nagar, Andhra Pradesh, India

²Department of BSH, NRI Institute of Technology, Agiripalli, Andhra Pradesh, India.

³Institute of Energy Engineering, Department of Mechanical Engineering, National Central University Jhongli, Taoyuan, Taiwan

Abstract—In this paper we consider prime graph of R (denoted by $PG(R)$) of an associative ring R (introduced by Satyanarayana, Syam Prasad and Nagaraju [6]). This short paper is divided into two Sections. Section-1 is devoted for preliminary definitions. In section-2, we constructed Left zero divisor graph of R (denoted by $LZDG(R)$) where $R =$ the set of all 2×2 matrices over the ring $\mathbb{Z}_2$ of integers modulo 2.

Keywords— Prime graph, Zero divisor graph, Star graph, Associative ring, Left Zero divisor graph.

Mathematics subject classification: 05C20, 05C76, 05C99, 13E15, 68R10.

I. INTRODUCTION

Let $G = (V, E)$ be a graph consist of a finite non-empty set V of vertices and finite set E of edges such that each edge e_k is identified as an unordered pair of vertices $\{v_i, v_j\}$, where v_i, v_j are called end points of e_k . The edge e_k is also denoted by either $\overline{v_i v_j}$ or $\overline{v_j v_i}$. We also write $G(V, E)$ for the graph. Vertex set and edge set of G are also denoted by $V(G)$ and $E(G)$ respectively. An edge associated with a vertex pair $\{v_i, v_i\}$ is called a self-loop. The number of edges associated with the vertex is the degree of the vertex, and $\delta(v)$ denotes the degree of the vertex v . If there is more than one edge associated with a given pair of vertices, then these edges are called parallel edges or multiple edges. A graph that does not have self-loop or parallel edges is called a simple graph. We consider simple graphs only. For an associative ring R , prime graph of R (denoted by $PG(R)$) was introduced in Satyanarayana, Syam Prasad and Nagaraju [6]. In this paper the concepts: left zero divisor graph was defined and compared with prime the graph.

1.1 Definitions: (i) A graph $G(V, E)$ is said to be a star graph if there exists a fixed vertex v such that $E = \{vu / u$

$\in V$ and $u \neq v\}$. A star graph is said to be an n -star graph if the number of vertices of the graph is n .

(ii) (Satyanarayana, Syam Prasad and Nagaraju [6]) Let R be an associative ring. A graph $G(V, E)$ is said to be a **prime graph** of R (denoted by $PG(R)$) if $V = R$ and $E = \{\overline{xy} / xRy = 0 \text{ or } yRx = 0, \text{ and } x \neq y\}$.

(iii) In a graph G , a subset S of $V(G)$ is said to be a **dominating set** if every vertex not in S has a neighbour in S . The **domination number**, denoted by $\gamma(G)$ is defined as $\min \{|S| / S \text{ is a dominating set in } G\}$.

(iv) Let $\{1, 2, 3, \dots, n\}$ be n objects to be permuted. For two permutations $a_1, a_2, \dots, a_n$ and $b_1, b_2, \dots, b_n$, we say that $a_1, a_2, \dots, a_n$ comes before $b_1, b_2, \dots, b_n$ in the **lexicographic order**, if some $1 \leq m < n$, $a_1 = b_1, a_2 = b_2, \dots, a_{m-1} = b_{m-1}$, and $a_m < b_m$.

(v) In a connected graph, a closed walk running through every vertex of G exactly once (except the starting vertex at which the walk terminates) is called as **Hamiltonian circuit**. A graph containing a Hamiltonian circuit is called as **Hamiltonian graph**.

(vi) Definition: A graph $G = (V, E)$ is said to be the zero divisor graph of R if $V = R$ and $E =$

$$\{\overline{xy} / x \neq y, x, y \in R, x \neq 0 \neq y, xy = 0\}$$

$\cup \{\overline{x0} / 0 \neq x \in R\}$ where $\overline{xy}$ denotes an edge between $x, y \in V$.

1.2 Note: (i) This definition 'zero divisor graph' is same as that of Beck [1988] in case of commutative rings.

1.3 Theorem: (Th. 13.8, page 361, [3]) A given connected graph G is an Eulerian graph if and only if all the vertices of G are of even degree.

For other fundamental concepts we refer [2], [3], [4] or [5]

In this paper, we use the following notation.

In this paper we consider totally ordered finite rings, the elements of a ring R with $|R| = n + 1$ were totally ordered. Without loss of generality, we assume

that $R = \{v_0, v_1, \dots, v_n\}$ and the elements of R were totally ordered with $v_i < v_j$ if $i < j$.

II. LEFT ZERO DIVISOR GRAPHS

2.1 Definition: We define the left zero divisor graph of R (denoted by $LZDG(R)$), as follows;

$$V(LZDG(R)) = R = \{v_i / 0 \leq i \leq n\}, \text{ and } E(LZDG(R)) = \{\overline{v_i v_j} / v_i v_j = 0 \text{ with } i < j\}.$$

2.2 Note: In case of commutative rings, $LZDG(R) = ZDG(R)$.

2.3 Notation: Consider the matrix $\begin{pmatrix} a & b \\ c & d \end{pmatrix}$ and let us identify it with the 4-tuple (a, b, c, d) with $a, b, c, d \in \mathbb{Z}_2$.

Lexicographic order on these 4-tuples is as follows:

$$(0, 0, 0, 0) \leq (0, 0, 0, 1) \leq (0, 0, 1, 0) \leq (0, 0, 1, 1) \leq (0, 1, 0, 0) \leq (0, 1, 0, 1) \leq (0, 1, 1, 0) \leq (0, 1, 1, 1) \\ \leq (1, 0, 0, 0) \leq (1, 0, 0, 1) \leq (1, 0, 1, 0) \leq (1, 0, 1, 1) \leq (1, 1, 0, 0) \leq (1, 1, 0, 1) \leq (1, 1, 1, 0) \leq (1, 1, 1, 1)$$

Let us carry this lexicographic order to the 2×2 matrices, Then we have the following order:

$$\begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix} \leq \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix} \leq \begin{pmatrix} 0 & 0 \\ 1 & 0 \end{pmatrix} \leq \begin{pmatrix} 0 & 0 \\ 1 & 1 \end{pmatrix} \leq \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix} \leq \begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix} \leq \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \leq \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix} \\ \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix} \leq \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \leq \begin{pmatrix} 1 & 0 \\ 1 & 0 \end{pmatrix} \leq \begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix} \leq \begin{pmatrix} 1 & 1 \\ 0 & 0 \end{pmatrix} \leq \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix} \leq \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix} \leq \begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix}$$

$$\text{Write } v_0 = \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}, v_1 = \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix}, v_2 = \begin{pmatrix} 0 & 0 \\ 1 & 0 \end{pmatrix}, v_3 = \begin{pmatrix} 0 & 0 \\ 1 & 1 \end{pmatrix}, v_4 = \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix}, v_5 = \begin{pmatrix} 0 & 1 \\ 0 & 1 \end{pmatrix}$$

$$v_6 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, v_7 = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}, v_8 = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix}, v_9 = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}, v_{10} = \begin{pmatrix} 1 & 0 \\ 1 & 0 \end{pmatrix}, v_{11} = \begin{pmatrix} 1 & 0 \\ 1 & 1 \end{pmatrix}, v_{12} = \begin{pmatrix} 1 & 1 \\ 0 & 0 \end{pmatrix},$$

$$v_{13} = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}, v_{14} = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix}, v_{15} = \begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix}.$$

Then

$R = \{v_i / 0 \leq i \leq 15\}$ is an ordered ring with 16 elements and $v_0 \leq v_1 \leq \dots \leq v_{15}$ (In other words $v_i < v_j$ if $i < j$ for $0 \leq i, j \leq 15$).

2.4 Construction: In the following, we construct left zero divisor graph $LZDG(R)$ of this ring R :

$$V(LZDG(R)) = R = \{v_i / 0 \leq i \leq 15\}.$$


Since $v_0 v_i = 0$ for all $1 \leq i \leq 15$ we have that $\overline{v_0 v_i} \in E(LZDG(R))$ for $1 \leq i \leq 15$.

Also $v_1 v_2 = v_1 v_4 = v_1 v_8 = 0$ and $v_i v_j \neq 0$ for $i \notin \{0, 2, 4, 8\}$,

$$v_2 v_3 = v_3 v_5 = v_3 v_{10} = v_3 v_{15} = v_4 v_8 = v_4 v_{12} = v_5 v_8 = v_5 v_{12} = v_{12} v_{15} = 0.$$

$$\text{Therefore, } E(LZDG(R)) = \left\{ \overline{v_0 v_1}, \overline{v_0 v_2}, \overline{v_0 v_3}, \overline{v_0 v_4}, \overline{v_0 v_5}, \overline{v_0 v_6}, \overline{v_0 v_7}, \overline{v_0 v_8}, \overline{v_0 v_9}, \overline{v_0 v_{10}}, \overline{v_0 v_{11}}, \overline{v_0 v_{12}}, \overline{v_0 v_{13}}, \overline{v_0 v_{14}}, \overline{v_0 v_{15}}, \right. \\ \left. \overline{v_1 v_2}, \overline{v_1 v_4}, \overline{v_1 v_8}, \overline{v_2 v_3}, \overline{v_3 v_5}, \overline{v_3 v_{10}}, \overline{v_3 v_{15}}, \overline{v_4 v_8}, \overline{v_4 v_{12}}, \overline{v_5 v_8}, \overline{v_5 v_{12}}, \overline{v_{12} v_{15}} \right\}$$

The graph $LZDG(R)$ is given in Figure 2.4.



2.5 Note: (i) (R, E_1) where $E_1 = \{\overline{v_j v_0} / 1 \leq j \leq 15\}$ is a 16 – star graph which is also a subgraph of $LZDG(R)$.

(ii) The Domination number of $LZDG(R)$ is 1.

(iii) Since $\overline{v_0 v_{15}}, \overline{v_{15} v_{12}}, \overline{v_{12} v_0}$ forms a triangle, we conclude that the graph cannot be a bipartite graph

(iv) $LZDG(R)$ is not an Eulerian graph (by using the Th. 13.8, p 361 of [4]).

(v) Since $LZDG(R)$ contains pendent vertices, it contains no Hamiltonian circuit.

(vi) In general $E(LZD(R)) \not\subset E(PG(R))$. To see this, Consider the construction 2.4.

Since $0 \neq v_1 v_3 v_4 \in v_1 R v_4$ and $0 \neq v_4 v_1 v_1 \in v_4 R v_1$, we conclude that there is no edge between v_1 and v_4 in $PG(R)$.
 But $\overline{v_1 v_4} \in E(LZDG(R))$ (Refer: construction 2.4).

So $\overline{v_1 v_4} \in E(LZDG(R)) \setminus E(PG(R))$. Hence $E(LZD(R)) \not\subset E(PG(R))$.

REFERENCES

- [1] Beck, Coloring of Commutative Ring, J. Algebra 116 (1988), 208-226.
- [2] Satyanarayana Bhavanari. and Syam Prasad K. "An Isomorphism Theorem on Directed Hypercubes of Dimension n", *Indian J. Pure & Appl. Math* 34 (10) (2003) 1453-1457.
- [3] Satyanarayana Bhavanari. and Syam Prasad K. "Discrete Mathematics and Graph Theory", Prentice Hall India Pvt. Ltd., New Delhi, (2009) ISBN 978-81-203-3842-5.
- [4] Satyanarayana Bhavanari. and Syam Prasad K. "Discrete Mathematics and Graph Theory", Prentice Hall India Pvt. Ltd., New Delhi, 2014 (Second Edition) ISBN 978-81-203-4948-3.
- [5] Satyanarayana Bhavanari. and Syam Prasad K. "Nerrings, Fuzzy Ideals and Graph Theory" CRC Press (Taylor & Francis Group, London, New York), (2013) ISBN 13: 9781439873106.
- [6] Satyanarayana Bhavanari., Syam Prasad K and Nagaraju D. "Prime Graph of a Ring", J. Combinatorics, Informations & System Sciences 35 (2010) 27-42.
- [7] Satyanarayana Bhavanari, Sk. Mohiddin Shaw, Mallikarjun Bhavanari and T.V.Pradeep Kumar , " On a Graph related to the Ring of Integers Modulo n

- ”, Proceedings of the International Conference on Challenges and Applications of Mathematics in Science and Technology (CAMIST) January 11-13, (2010). (Publisher: Macmillan Research Series, 2 010) PP.688-697. (India). (ISBN : 978 – 0230 – 32875 – 4).
- [8] Satyanarayana Bhavanari, Mohiddin Shaw Sk, and Venkata Vijaya Kumari Arava, “Prime Graph of an Integral Domain”, Proceedings of the National Seminar on Present Trends in Mathematics and its Applications, November, 11-12(2010). PP 124-134.
- [9] Satyanarayana Bhavanari., Srinivasulu D. “Cartesian Product of Graphs Vs. Prime Graphs of Rings”, Global Journal of Pure and Applied Mathematics (GJPAM), Volume 11, Number 2 (2015). (ISSN 0973-1768)
- [10] Satyanarayana Bhavanari , Srinivasulu D., and Mallikarjun Bhavanari “ A Theorem on the Zero Divisor Graph of the ring of 2×2 - matrices over $\mathbb{Z}_2$ ”, International Educational Scientific and Research journal Volume 2, issue 6, (June 2016), 45-46. (E – ISSN: 2455 – 295X)
- [11] Satyanarayana Bhavanari, Srinivasulu D., and Mallikarjun Bhavanari “A Theorem on the Prime Graph of 2×2 - matrix ring of $\mathbb{Z}_2$ ”, International Journal on Recent and Innovation Trends in Computing and Communication, Volume 4, Issue 5, 2016, 571-573. (ISSN: 2321 - 8169)
- [12] Satyanarayana Bhavanari., Srinivasulu D., and Syam Prasad K. “Some Results on Degree of Vertices in Semitotal Block Graph and Total – Block Graph”, International Journal of computer Applications (0975 - 8887) Vol. 50, No.9, (July 2012) 19-22.
- [13] Satyanarayana Bhavanari., Srinivasulu D., Syam Prasad K. “Line Graphs & Quasi-Total Block Graphs”, International Journal of Computer Applications (0975 - 8887) Vol. 105, No.3, (November 2014) 12-16.
- [14] Satyanarayana Bhavanari., Pradeep kumar T.V, Sk. Mohiddin Shaw. “Mathematical Foundations of Computer Science”, BS publications, Hyderabad, A.P, India, 2016. (ISBN: 978-93-83-635-81-8).