



A survey on alliances and related parameters in graphs

Henning Fernau^a, Juan A. Rodríguez-Velázquez^b

^aFB 4-Abteilung Informatikwissenschaften, Universität Trier, 54286 Trier, Germany

^bDepartament d'Enginyeria Informàtica i Matemàtiques, Universitat Rovira i Virgili, Av. Països Catalans 26, 43007 Tarragona, Spain.

fernau@uni-trier.de, juanalberto.rodriguez@urv.cat

Abstract

In this paper, we show that several graph parameters are known in different areas under completely different names. More specifically, our observations connect signed domination, monopolies, α -domination, α -independence, positive influence domination, robust sets, and a parameter associated to fast information propagation in networks to parameters related to various notions of global r -alliances in graphs. We also propose a new framework, called (global) (D, O) -alliances, not only in order to characterize various known variants of alliance and domination parameters, but also to suggest a unifying framework for the study of alliances and domination. Finally, we also give a survey on the mentioned graph parameters, indicating how results transfer due to our observations.

Keywords: graph parameters, domination in graphs, alliances in graphs, computational complexity of graph problems

Mathematics Subject Classification : 05C69, 68Q17

1. Introduction to graphs and alliances

Let $G = (V, E)$ denote a simple graph. For a non-empty subset $S \subseteq V$, and a vertex $v \in V$, we denote by $N_S(v)$ the set of neighbors v has in S . We denote the degree of v in S by $\delta_S(v) = |N_S(v)|$. We write $N_S[v] = N_S(v) \cup \{v\}$ to denote the closed neighborhood. For vertex sets U and S , $N_S(U) = \bigcup_{u \in U} N_S(u)$, and $N_S[U] = N_S(U) \cup U$. If $S = V$, we suppress the subscript V in the notations introduced so far. \bar{S} denotes the complement of S , i.e., $\bar{S} = V \setminus S$.

Received: 21 November 2013, Revised: 9 April 2014, Accepted: 21 April 2014.

Recall that $D \subseteq V$ is a *dominating set* in $G = (V, E)$ if $N[D] = V$ [35]. We consider several variants of dominating sets. Consider the following condition

$$\delta_S(v) \geq \delta_{\bar{S}}(v) + r, \tag{*}$$

which states that a vertex v has at least r more neighbors in S than it has in \bar{S} . A dominating set $S \subseteq V$ that satisfies Condition (*) for every vertex $v \in S$ is called a *global defensive r -alliance*; if $S \neq \emptyset$ satisfies Condition (*) for every vertex $v \in \bar{S}$, then S is called *global offensive r -alliance*.

A set $S \subseteq V$ is a *global powerful r -alliance* if S is both a global defensive r -alliance and a global offensive $(r + 2)$ -alliance, [6, 7, 58]. Global powerful 0-alliances are also known as strong powerful alliances or strong dual alliances.

Alliances were introduced in several papers between 2000 and 2010 and were studied in various PhD theses and many papers. In order not to overdo, we only list the first papers and theses now: [23, 24, 41, 55, 58]. It is rather well-known that some of the concepts of alliances were invented independently and under different names. For instance, defensive alliances appear also in [28]. Also, it is observed in [41] that signed dominating functions induce global strong powerful alliances, or in the terminology introduced above, global powerful 0-alliances. However, no proof of this fact appeared, and our Proposition 3.1 even provides a general characterization of signed domination in terms of alliances. We will exhibit in this paper several connections between global alliances of various types and other parameters that were introduced in the literature of graphs and networks. Seeing these connections should be helpful for researchers both in domination and in alliance theory. More philosophically speaking, the question “What’s in a name” or, to quote the masterpiece Faust of the famous German poet J. W. von Goethe, “Name ist Schall und Rauch”, might indicate that the name of a notion is not very important, but if a researcher applies a search engine and tries to find all, say, complexity results for a certain graph parameter, it is indeed decisive to know that this parameter has several other names. To help retrieve information on alliance parameters and related notions motivated us to write this type of overview paper.

2. (D, O) -alliances

In order to properly characterize various situations, we suggest the following generalization of alliance parameters. A (D, O) -alliance (with $D, O \subseteq \mathbb{Z}$) in a graph $G = (V, E)$ is a vertex set S with

1. $\forall v \in S: \delta_S(v) - \delta_{\bar{S}}(v) \in D$ and
2. $\forall v \in N(S) \setminus S: \delta_S(v) - \delta_{\bar{S}}(v) \in O$.

Hence, defensive r -alliances can be addressed as $(\{d \in \mathbb{Z} : d \geq r\}, \mathbb{Z})$ -alliances, and offensive r -alliances can be written as $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq r\})$ -alliances. Likewise, $(\{d \in \mathbb{Z} : d \geq r\}, \{o \in \mathbb{Z} : o \geq r + 2\})$ -alliances are also known as powerful r -alliances. A (D, O) -alliance which is at the same time a dominating set is called *global*.

Recall and compare this with the following definition that is very similar to J. A. Telle’s proposal [61, 62]: A $[\sigma, \rho]$ -set, with $\sigma, \rho \subseteq \mathbb{N}$, in a graph $G = (V, E)$ is a vertex set S with

1. $\forall v \in S: \delta_S(v) \in \sigma$ and

2. $\forall v \notin S: \delta_S(v) \in \rho$.

The framework of (σ, ρ) -domination has triggered quite some research on different number sets prescribing different forms of domination and independence. The framework that we propose might serve for a similar purpose.

Let us remark that it is possible to model other forms of alliances introduced in the literature within this new framework. For instance, I. G. Yero introduced *boundary alliances* in his PhD thesis [68]. These can be easily introduced with our terminology as follows:

- A $(\{r\}, \mathbb{Z})$ -alliance is called a *boundary defensive r -alliance*;
- a $(\mathbb{Z}, \{r\})$ -alliance is called a *boundary offensive r -alliance*;
- an $(\{r\}, \{r + 2\})$ -alliance is called a *boundary powerful r -alliance*.

Combinatorial results on (global) boundary defensive r -alliances and (global) boundary powerful k -alliances are also contained in [69, 70], respectively.

Remark 2.1. Note that $S \subseteq V(G)$ is a global $(\{r\}, \mathbb{Z})$ -alliance if and only if \overline{S} is a global $(\mathbb{Z}, \{-r\})$ -alliance.

Let us comment on regular graphs in the following. If a graph G is r -regular, i.e., if $\delta(v) = r$ for all vertices $v \in V(G)$, then we can restrict ourselves to $[\sigma, \rho]$ -sets with $\sigma, \rho \subseteq \{0, \dots, r\}$ and to (D, O) -alliances with $D, O \subseteq \{-r, \dots, r\}$. Then, we can observe:

Proposition 2.1. *Let G be an r -regular graph and $\sigma, \rho \subseteq \{0, \dots, r\}$, Then, $S \subseteq V(G)$ is a $[\sigma, \rho]$ -set if and only if S is a (D, O) -alliance with $D = \{d \in \mathbb{Z} : \frac{d+r}{2} \in \sigma\}$ and $O = \{o \in \mathbb{Z} : \frac{o+r}{2} \in \rho\}$.*

Proof. For every $v \in V(G)$ we have $\delta_S(v) - \delta_{\overline{S}}(v) = \delta_S(v) - (r - \delta_S(v)) = 2\delta_S(v) - r$. So, for $v \in S$ and $d(v) = 2\delta_S(v) - r$ it follows $\delta_S(v) \in \sigma$ if and only if $d(v) \in D$. A similar computation applies to $v \notin S$. □

For instance, so-called total perfect dominating sets are described as $[\{1\}, \{1\}]$ -sets. On cubic graphs, this corresponds to $(\{-1\}, \{-1\})$ -alliances. Similarly, so-called perfect codes, also known as efficient dominating sets, can be described as $[\{0\}, \{1\}]$ -sets. On cubic graphs, this corresponds to $(\{-3\}, \{-1\})$ -alliances, or in other words, to boundary powerful (-3) -alliances. The known NP-hardness results for total perfect domination and for perfect codes on cubic graphs (see [62]) immediately translate to NP-hardness results on boundary powerful (-3) -alliances, for instance. This already shows some of the possible connections between the theory of (global) alliances and that of variants of domination.

3. Signed domination

Let $f : V \rightarrow \{-1, +1\}$ be a function which assigns each vertex of a graph $G = (V, E)$ a sign. Then, f is called *signed dominating function* if for every $v \in V$, $f(N[v]) \geq 1$, [19, 35] (here and in the sequel, we use the notation $f(S) = \sum_{v \in S} f(v)$ for a subset $S \subset V$). Given an integer k , we also consider the notion of *signed k -dominating function* where for every $v \in V$,

$f(N[v]) \geq k$, as introduced by C. Wang in [65]. The *signed k -dominating set* associated to f is the set of vertices with value $+1$ assigned by f . Clearly, a signed k -dominating set is a dominating set if $k \geq 1$. We connect signed k -dominating sets with global powerful $(k - 1)$ -alliances by the following proposition.

Proposition 3.1. *Let G be a graph and let $k \geq 1$ be an integer. A set $S \subseteq V(G)$ is a signed k -dominating set if and only if S is a global $(\{d \in \mathbb{Z} : d \geq k - 1\}, \{o \in \mathbb{Z} : o \geq k + 1\})$ -alliance.*

Proof. Let $g : V(G) \rightarrow \{-1, +1\}$ be a function and let $S \subseteq V(G)$ be composed of the vertices of G with value $+1$ assigned by g . So, for every vertex $v \in \overline{S}$,

$$\sum_{u \in N[v]} g(u) = -1 + \delta_S(v) - \delta_{\overline{S}}(v)$$

and for every vertex $v \in S$,

$$\sum_{u \in N[v]} g(u) = 1 + \delta_S(v) - \delta_{\overline{S}}(v).$$

Therefore, S is a global $(\{d \in \mathbb{Z} : d \geq k - 1\}, \{o \in \mathbb{Z} : o \geq k + 1\})$ -alliance if and only if S is a signed k -dominating set. □

3.1. Consequences of Proposition 3.1

K. H. Shafique [55] obtained that the question if there exists a powerful 0-alliance of size at most ℓ is NP-complete. Due to Proposition 3.1, the same result has been already shown in [34], in the terminology of signed domination. Generalized NP-hardness results towards signed k -domination are contained in [43]. But here, the literature on alliances was quicker, as it was shown in [27] that the question of finding a global powerful k -alliance of size at most ℓ is NP-complete for any integer k . It has been noticed in [26] that this question is fixed-parameter tractable in general graphs. For signed domination, parameterized complexity results are collected in [75]. In a sense, several of the aforementioned results are sharpened there, for instance, it is shown that the corresponding decision problem is NP-complete even on bipartite or on chordal graphs. Moreover, while the quadratic kernel of [26] coincides with the result from [75], including the main reduction rule, Y. Zheng *et al.* also obtain a small linear kernel for SIGNED DOMINATION on planar graphs.

Notice that while with the following, more network-oriented notions, most research has been undertaken from the viewpoint of complexity, this is different with signed domination. Hence, also those graph theorists working in the combinatorics of alliances may profit from the following papers, due to Proposition 3.1: [10, 19, 29, 30, 31, 35, 46, 50, 51, 56, 57, 63, 73].

3.2. Three variants of signed domination

Signed total domination. A *signed total dominating function* of $G = (V, E)$ is defined in [71] as a function $f : V \rightarrow \{-1, 1\}$ satisfying $f(N(v)) \geq 1$ for all $v \in V$. The *signed total dominating set* associated to f is the set of vertices with value $+1$ assigned. This was again generalized by C. Wang [65] towards signed total k -domination, based on a function $f : V \rightarrow \{-1, 1\}$ satisfying $f(N(v)) \geq k$ for all $v \in V$. By analogy to the proof of Proposition 3.1, we can see the following result.

Proposition 3.2. *Let G be a graph and let $k \geq 1$ be an integer. A set $S \subseteq V(G)$ is a signed total k -dominating set if and only if S is a global $(\{d \in \mathbb{Z} : d \geq k\}, \{o \in \mathbb{Z} : o \geq k\})$ -alliance.*

Combinatorial results on signed total dominating functions can be found in [10, 32, 33, 71]. For combinatorial results on defensive (offensive) k -alliances we cite, for instance, [8, 25, 54, 53, 55, 58, 68]. Likewise, complexity results have been obtained in this setting; we only refer to [42] and the literature quoted therein for signed total domination and to [43] for signed total k -domination.

Minus domination: introducing neutral elements. It might be also interesting to observe that there is also another concept related to signed domination, namely, minus domination [21, 35]. With the idea of alliances in the back of your mind, this can be interpreted as partitioning the vertices not only into friends (allies) and enemies, but also allowing neutral vertices. A possible definition could ask for a function $f : V \rightarrow \{-1, 0, 1\}$, the *minus dominating function*, for the graph $G = (V, E)$ such that, for every $v \in V$, $f(N[v]) \geq 1$. The *minus dominating set* would collect $D = \{v \in V : f(v) = 1\}$. Equivalently, we may be allowed to delete the neutral elements $N = \{v \in V : f(v) = 0\}$, as D is a signed domination set and hence a global powerful 0-alliance in $G - N$. For complexity aspects of signed and minus domination (in particular on degree-bounded graphs), we refer to [15, 20] and the literature quoted therein. Neutral elements were considered in the context of alliances in [52]. In this spirit, we suggest the following notion: A dominating set D in G is a *global (D, O) -alliance with neutrals N* , $N \subseteq V(G)$, if it is a global (D, O) -alliance in $G - N$. Thus, in analogy to Proposition 3.1, we establish the following result.

Proposition 3.3. *Let G be a graph. A set $S \subseteq V(G)$ is a minus dominating set if and only if there exists a vertex set N , $N \cap S = \emptyset$, such that S is a global $(\{d \in \mathbb{Z} : d \geq 0\}, \{o \in \mathbb{Z} : o \geq 2\})$ -alliance with neutrals N .*

In the spirit of [16, 65], it might be interesting to consider minus k -dominating sets. These would correspond to global $(\{d \in \mathbb{Z} : d \geq k - 1\}, \{o \in \mathbb{Z} : o \geq k + 1\})$ -alliances with neutrals N , as long as $k \geq 1$.

Signed efficient domination. Another issue is *efficient domination* [2, 35]. This was also considered in relation with signed and minus domination [1, 45] and could be also formalized within the framework of global (D, O) -alliances.

Recall that a signed dominating function f is called *signed efficient dominating function* if for every $v \in V$, $f(N[v]) = 1$. In analogy to Proposition 3.1, we can state the following result, which gives a link to global boundary powerful 0-alliances.

Proposition 3.4. *Let G be a graph. A set $S \subseteq V(G)$ is an efficient signed dominating set if and only if S is a global $(\{0\}, \{2\})$ -alliance.*

Interestingly, the question of the existence of such an alliance is just as hard as the question of finding a smallest one, as all efficient signed domination functions have the same weight, as shown by D. W. Bange *et al.* in [1].

Those interested in generalizing signed efficient domination towards signed efficient k -domination, which should correspond to a function f with $f(N[v]) = k$ for every $v \in V$, should bear in mind that this notion would coincide with that of a global boundary powerful k -alliance.

4. Monopolies

From [47], we learn the following notions. A *partial monopoly* in a graph $G = (V, E)$ is a vertex set X such that for all $v \notin X$,

$$|N[v] \cap X| \geq \frac{1}{2}|N[v]|. \tag{**}$$

A *monopoly*, as defined in [47], satisfies (**) for all $v \in V$, not only for those v in the complement of X . In the terminology introduced by D. Peleg in [49], a partial monopoly is a *self-ignoring 1-monopoly* and a monopoly is a *1-monopoly*. This notion of partial monopoly was introduced in [40] under the name *strict monopoly*. We first provide a characterization in terms of global offensive 1-alliances.

Proposition 4.1. *Let G be a graph. A set $X \subseteq V(G)$ is a partial monopoly if and only if X is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 1\})$ -alliance.*

Proof. If $X \subseteq V(G)$, then for every $v \in \overline{X}$ the following expressions are equivalent:

$$\begin{aligned} |X \cap N[v]| &\geq \frac{1}{2}|N[v]| \\ \delta_X(v) &\geq \frac{1}{2}(\delta_X(v) + \delta_{\overline{X}}(v) + 1) \\ \frac{1}{2}\delta_X(v) &\geq \frac{1}{2}\delta_{\overline{X}}(v) + \frac{1}{2} \\ \delta_X(v) - \delta_{\overline{X}}(v) &\geq 1. \end{aligned}$$

So, X is a partial monopoly if and only if X is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 1\})$ -alliance. □

Proposition 4.2. *Let G be a graph. A set $X \subseteq V(G)$ is a monopoly if and only if X is a global $(\{d \in \mathbb{Z} : d \geq -2\}, \{o \in \mathbb{Z} : o \geq 1\})$ -alliance.*

Proof. If X is a monopoly, then for every $v \in X$ we have

$$\begin{aligned} |X \cap N[v]| &\geq \frac{1}{2}|N[v]| \\ \delta_X(v) + 1 &\geq \frac{1}{2}(\delta_X(v) + \delta_{\overline{X}}(v)) \\ \frac{1}{2}\delta_X(v) + 1 &\geq \frac{1}{2}\delta_{\overline{X}}(v) \\ \delta_X(v) - \delta_{\overline{X}}(v) &\geq -2. \end{aligned}$$

So, if X is a monopoly, then X is a $(\{d \in \mathbb{Z} : d \geq -2\}, \mathbb{Z})$ -alliance, and vice versa. Hence, by Proposition 4.1, we conclude the proof. □

D. Peleg actually introduced more general notions. Recall that the r th power of a graph G is a graph with the same set of vertices as G and an edge between two vertices if and only if there is a

path of length at most r between them. X is a *self-ignoring r -monopoly* in $G = (V, E)$ if and only if X is a partial monopoly in the r th graph power of G . X is an *r -monopoly* in $G = (V, E)$ if and only if X is a 1-monopoly in the r th graph power of G . This might motivate to study alliances in graph powers.

Apart from this, reference [49] (as an overview) and then [5, 44] contain quite some combinatorial results on (variants of) monopolies that would translate to properties of global alliances by virtue of the above propositions (or by analogy). Also, in [5] relations to signed domination are informally stated; our paper can be seen as formalizing this intuition.

It is stated in [49] without proof that finding monopolies (in certain variants) of size at most k is NP-hard. The inapproximability results from [47] imply even stronger results for finding smallest (partial) monopolies. A second generalization can be found in [25, Theorem 4], where it is shown that, for each r , deciding if there exists a global offensive r -alliance of size at most k in a graph is NP-complete.

S. Mishra *et al.* [47, 48] show that (partial) monopolies no bigger than c times the minimum can be found in polynomial time in cubic graphs, but no PTAS exists on graphs of bounded degree. S. Mishra *et al.* [47] also exhibit interesting combinatorial bounds for (partial) monopolies in graphs of bounded degree that should be interesting to those working in the theory of alliances. Likewise, H. Fernau and D. Raible have shown in [26] that alliance problems are fixed-parameter tractable, which translates to corresponding statements for (partial) monopolies.

5. α -domination and α -independence

A kind of open-neighborhood variant of partial monopolies have been generalized towards so-called α -dominating sets in [22]. More precisely, for any $0 < \alpha \leq 1$, an α -dominating set in a graph $G = (V, E)$ is a vertex set X such that for all $v \notin X$, $|N(v) \cap X| \geq \alpha|N(v)|$. Obviously, a $\frac{1}{2}$ -dominating set is an open-neighborhood variant of a partial monopoly. It has been observed in [41] that, for any $\alpha > \frac{1}{2}$, an α -dominating set X has more neighbors in X than it has in \overline{X} , turning it into a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 1\})$ -alliance. Unfortunately, this does not yield a characterization of α -domination for $\alpha > \frac{1}{2}$. For instance, consider $G = K_{2r}$. In this case for $X \subset V(K_{2r})$ such that $|X| = r$, one has $\delta_X(v) = r = \delta_{\overline{X}}(v) + 1$ for every $x \in \overline{X}$. So, X is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 1\})$ -alliance. But, $r = |N(v) \cap X| \geq \alpha|N(v)| = \alpha(2r - 1)$ implies that $\alpha \leq \frac{r}{2r-1} \rightarrow \frac{1}{2}$, when $r \rightarrow \infty$.

It is also claimed in [41] that, if $\alpha \leq \frac{1}{2}$, then the complement \overline{X} of an α -dominating set X forms a strong defensive alliance. This statement is surely not true, as the condition that at least a certain fraction of neighbors of $v \in \overline{X}$ is in X does say that at least a certain fraction of neighbors is in \overline{X} , which should be true if the claim were true. However, for $\alpha = \frac{1}{2}$, we can replace this statement by the following one which relates $\frac{1}{2}$ -domination and global offensive 0-alliances.

Proposition 5.1. *Let G be a graph. A set $X \subseteq V(G)$ is a $\frac{1}{2}$ -dominating set if and only if X is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance.*

Proof. Consider some $\frac{1}{2}$ -dominating set $X \subseteq V(G)$, i.e.,

$$\begin{aligned} |N(v) \cap X| &\geq \frac{1}{2}|N(v)| \\ \delta_X(v) &\geq \frac{1}{2}(\delta_X(v) + \delta_{\overline{X}}(v)) \\ \delta_X(v) &\geq \delta_{\overline{X}}(v). \end{aligned}$$

Hence, X is a $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance. The converse follows similarly. □

From results in [22], we can deduce that the problem(s) of determining if there exists a global offensive 0- or 1-alliance in a graph is NP-complete even on cubic graphs, complementing the complexity results mentioned above. Combinatorial results on α -domination are rare; [14, 22] seems to be a complete list today. Let us mention in passing that F. Dahme, D. Rautenbach and L. Volkmann [14] proposed another concept: an α -independent set in a graph $G = (V, E)$ is a vertex set X such that for all $v \in X$, $|N(v) \cap X| \leq \alpha|N(v)|$. In other words, for all $v \in X$, $\delta_X(v) \leq \alpha(\delta_X(v) + \delta_{\overline{X}}(v))$. For $\alpha = \frac{1}{2}$, this means that $\delta_X(v) \leq \delta_{\overline{X}}(v)$. Hence, \overline{X} forms a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance. The reverse direction can be similarly seen.

Proposition 5.2. *Let G be a graph. A set $X \subseteq V(G)$ is a $\frac{1}{2}$ -independent set if and only if \overline{X} is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance.*

This also provides a Gallai-type result that seems to be a new observation; such results are also known as complementarity results; see [35, Sec. 10.4].

Corollary 5.1. *The order of a graph equals the sum of the size of the smallest $\frac{1}{2}$ -dominating set plus the size of the largest $\frac{1}{2}$ -independent set.*

F. Cicalese, M. Milanic and U. Vaccaro introduce in [13] the notion of (total) q -domination: $S \subseteq V$ is a q -dominating set in the graph $G = (V, E)$ if, for every $v \in V \setminus S$, it holds that $|N(v) \cap S| > q|N(v)|$; it is called total if this property also holds for $v \in S$. We refrain from stating analogues to the previous propositions, as these statements might look confusing again, in particular when specializing to the case of $q = \frac{1}{2}$. Relations to monopolies and fast information propagation (see next section) are also (informally) observed in that paper. The in approximability results from [13] would be also interesting in and transfer to some other contexts (for instance, in the theory of alliances).

6. Positive influence domination and fast information propagation

Another related notion is that of a *positive influence dominating set*; see [18, 17, 66, 72]. This is a vertex set $X \subseteq V$ such that any $v \in V$ is neighbor of at least $\left\lceil \frac{\delta(v)}{2} \right\rceil$ many vertices from X ; recall that $\delta(v) = |N(v)|$ denotes the degree of vertex v .

Proposition 6.1. *Let G be a graph. A set $X \subseteq V(G)$ is a positive influence dominating set if and only if X is a global $(\{d \in \mathbb{Z} : d \geq 0\}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance.*

Proof. Let $X \subseteq V(G)$. For every $v \in V(G)$ the following expressions are equivalent.

$$\begin{aligned} \delta_X(v) &\geq \left\lceil \frac{\delta(v)}{2} \right\rceil \\ \delta_X(v) &\geq \frac{\delta(v)}{2} \\ \delta_X(v) &\geq \frac{\delta_X(v) + \delta_{\overline{X}}(v)}{2} \\ \delta_X(v) &\geq \delta_{\overline{X}}(v). \end{aligned}$$

Therefore, X is a positive influence dominating set if and only if X is a global $(\{d \in \mathbb{Z} : d \geq 0\}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance. \square

For this graph parameter, mostly (in)approximability results have been derived. Notice that Proposition 6.1 also yields a characterization of positive influence domination in terms of signed total 0-domination for graphs without isolated vertices, along the lines of Proposition 3.2. Namely observe that the only problem with that equivalence is due to isolated vertices, which could be assigned -1 , and yet the (empty!) sum of all f -values of all their neighbors would be zero. Conversely, if the graph contains no isolated vertices, then every vertex has at least one neighbor, so that a signed total 0-dominating set is in particular a dominating set and can be hence characterized as a global $(\{d \in \mathbb{Z} : d \geq 0\}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance.

In line with usual notations in domination theory, positive influence dominating sets are called total positive influence dominating sets in [17], while they refer to sets X where every $v \in \overline{X}$ is neighbor of at least $\left\lceil \frac{\delta(v)}{2} \right\rceil$ many vertices from X as positive influence dominating sets. Clearly, such sets can be addressed as global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliances or as global offensive 0-alliances and hence correspond to $\frac{1}{2}$ -dominating sets according to Proposition 5.1. We discuss similar notions in the following.

Positive influence dominating sets are closely related to problems that involve a diffusion process through a network. Such problems share a common idea of selecting an initial subset of vertices to activate in a graph such that, according to a propagation rule, all vertices are activated once the propagation process stops. One such representative problem is the TARGET SET SELECTION problem first introduced in [9]. For each $v \in V$, there is a threshold value $t(v) \in \mathbb{N}$, where $1 \leq t(v) \leq \delta(v)$. Initially, the states of all vertices are inactive. We pick a subset of vertices, the target set, and set their state to be active. After that, in each discrete time step, the states of vertices are updated according to the following rule: An inactive vertex v becomes active if at least $t(v)$ of its neighbors are active. The process runs until either all vertices are active or no additional vertices can update states from inactive to active. The following optimization problem, called TARGET SET SELECTION, was considered in [9]: Which subset of vertices should be targeted at the beginning such that all (or a fixed fraction of) vertices in the graph are active at the end? The goal considered in [9] was to minimize the size of the target set. For the thresholds $t(v) = \left\lceil \frac{\delta(v)}{2} \right\rceil$, this is tightly linked to the following model: According to F. Zou *et al.* [76], given a fixed model

of information diffusion in a network and some latency bound d , the FAST INFORMATION PROPAGATION PROBLEM asks, given a graph $G = (V, E)$ and an integer k , if there exists some set P with at most k vertices such that, after d rounds, all vertices have obtained the information originally (only) located at P . That paper [76] mostly considered the Majority Theshold Model for information diffusion, again motivated by (the conference version of) [49]. More formally, let $\text{MAJ}(P) = \{v \in V : |N(v) \cap P| \geq \frac{1}{2}|N(v)|\} \cup P$. (At least, this is our interpretation of “a node becomes active only when at least half of its neighbors are active.”) The operator MAJ can be iterated. This means, $\text{MAJ}^1(P) = \text{MAJ}(P)$, and for $d > 1$, $\text{MAJ}^d(P) = \text{MAJ}^{d-1}(\text{MAJ}(P))$. So, a d -MAJ set is a vertex set P such that $\text{MAJ}^d(P) = V$. We relate a vertex set from which information can be spread to every vertex in just one round with global offensive 0-alliances as follows.

Proposition 6.2. *Let G be a graph. A set $P \subseteq V(G)$ is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance if and only if $\text{MAJ}^1(P) = V$.*

Proof. If $\text{MAJ}^1(P) = V$, then for every $v \in \bar{P}$ we have

$$\begin{aligned} |N(v) \cap P| &\geq \frac{1}{2}|N(v)| \\ \delta_P(v) &\geq \frac{1}{2}(\delta_P(v) + \delta_{\bar{P}}(v)) \\ \delta_P(v) &\geq \delta_{\bar{P}}(v). \end{aligned}$$

So, if $\text{MAJ}^1(P) = V$, then P is a global $(\mathbb{Z}, \{o \in \mathbb{Z} : o \geq 0\})$ -alliance, and vice versa. \square

Hence, the NP-hardness result proved in [76] in a rather complicated manner also follows from [25, Theorem 4] or from [22].

C. Bazgan and M. Chopin [3] introduced a kind of dual notion of a positive influence domination. A set $R \subseteq V(G)$ is a *robust set with majority thresholds* if, for all $v \in V(G)$, $\delta_R(v) < \left\lceil \frac{\delta(v)}{2} \right\rceil$. A robust set is called a harmless set in [11].

Proposition 6.3. *Let G be a graph. A set $R \subseteq V(G)$ is a $(\{o \in \mathbb{Z} : o < 0\}, \{o \in \mathbb{Z} : o < 0\})$ -alliance if and only if R is a robust set with majority thresholds.*

Proof. Let $R \subseteq V(G)$. For every $v \in V(G)$ the following expressions are equivalent.

$$\begin{aligned} \delta_R(v) &< \left\lceil \frac{\delta(v)}{2} \right\rceil \\ \delta_R(v) &< \frac{\delta(v)}{2} \\ \delta_R(v) &< \frac{\delta_R(v) + \delta_{\bar{R}}(v)}{2} \\ \delta_R(v) &< \delta_{\bar{R}}(v). \end{aligned}$$

Therefore, R is a robust set with majority thresholds if and only if R is a $(\{o \in \mathbb{Z} : o < 0\}, \{o \in \mathbb{Z} : o < 0\})$ -alliance. \square

M. Chopin and his co-authors [3, 4, 11, 12] also considered parameterized complexity and approximability aspects of TARGET SET SELECTION and related graph problems. Notice that the natural optimization problem related to robust sets is a maximization problem.

7. Further interesting aspects

The fact that the same graph parameters were obviously independently introduced in the literature also bears some potentially fruitful ideas for future research, possibly beyond the idea of studying (D, O) -alliances for different number sets D and O . We only indicate some of these in the following.

- From the original motivation behind alliances, research on (global) $(\{d \in \mathbb{Z} : d \geq k\}, \{o \in \mathbb{Z} : o \geq \ell\})$ -alliances for two given integers k, ℓ might be of particular interest. With $\ell = k + 2$, we are back to the notion of (global) powerful k -alliances, but the proposed new notion is more flexible, as someone who likes to apply this theory can scale in how much security in terms of defensive or offensive power (s)he is aiming at. Observe that many of our characterization results can be interpreted in this terminology. In other words, for several k, ℓ , global $(\{d \in \mathbb{Z} : d \geq k\}, \{o \in \mathbb{Z} : o \geq \ell\})$ -alliances have already been studied in the domination literature under different names. Our new proposed terminology might help bridge those results, presenting them in a uniform way.
- J. H. Hattingh, M. A. Henning and P. J. Slater [34] also considered the parameter *upper signed domination*, which is the maximum cardinality of an inclusion-minimal signed domination set. This has been later generalized to upper signed k -domination in [16]. This type of parameter is well-known from domination theory, but has received, to our knowledge, little attention so far in the world of alliance parameters, apart from [41].
- Work on fast information propagation could stir interest in dynamic versions of the notion of alliances. Notice that alliances on graph powers would formalize similar ideas, here we refer again to our section on monopolies. In this context, it should be good to recall that dominating set in the r th power of a graph has been studied under the name of *distance- r domination*; see [35, Sec. 7.4], based on a more general notion introduced in [60].
- Inspired by well-known work on edge domination, there is already a whole range of papers that consider *signed edge domination*, starting with [67]. As a manifestation of the diversity of such papers, we mention a few of them in the following: [36, 38, 39, 37, 74]. All these notions can be interpreted as (D, O) -edge alliances (for appropriate sets D, O). However, little has been done so far on *edge alliances*, apart from very few results on alliances in line graphs, see [59]. This observation could motivate further studies in that direction.
- Again in domination theory, dominating sets with additional properties like connectedness or independence have been thoroughly studied. In the context of alliances, we are only aware of one such paper, namely [64]. In particular those connected alliances should make very much sense in view of the original motivation of alliances. $\frac{1}{2}$ -independent dominating sets which

correspond to independent global offensive 0-alliances were studied in [14]. These combinations could be also interesting for those interested in signed domination or monopolies. Here, we would like to draw the reader's attention to [17], where connected positive influence dominating sets are studied, which correspond to connected global offensive 0-alliances according to our observations.

- While classical NP-hardness results for alliance problems are quite abundant and also follow often from other known results by connections exhibited in this paper, positive algorithmic results are studied less. Some fixed-parameter algorithms have been exhibited, as indicated throughout the paper, but approximability is an issue largely neglected. More precisely, while some results can be deduced by our results shown in this paper, a systematic research is still to be done.

References

- [1] D. W. Bange, A. E. Barkauskas, L. H. Host, and P. J. Slater. Generalized domination and efficient domination in graphs. *Discrete Mathematics* **159** (1996), 1–11.
- [2] D. W. Bange, A. E. Barkauskas, and P. J. Slater. Efficient domination sets in graphs. In R. D. Ringeisen and F. S. Roberts, editors, *Applications of Discrete Mathematics, Proceedings of the Third SIAM Conference on Discrete Mathematics, Clemson, 1986*, pages 189–199. SIAM, 1988.
- [3] C. Bazgan and M. Chopin. The robust set problem: Parameterized complexity and approximation. In B. Rován, V. Sassone, and P. Widmayer, editors, *Mathematical Foundations of Computer Science 2012 – 37th International Symposium, MFCS*, volume 7464 of *LNCS*, pages 136–147. Springer, 2012.
- [4] C. Bazgan, M. Chopin, A. Nichterlein, and F. Sikora. Parameterized approximability of maximizing the spread of influence in networks. In D.-Z. Du and G. Zhang, editors, *Computing and Combinatorics, 19th International Conference, COCOON*, volume 7936 of *LNCS*, pages 543–554. Springer, 2013.
- [5] J.-C. Bermond, J. Bond, D. Peleg, and S. Perennes. The power of small coalitions in graphs. *Discrete Applied Mathematics* **127** (3) (2003), 399–414.
- [6] S. Bermudo, J. M. Rodríguez, and J. M. Sigarreta. Computing the hyperbolicity constant. *Computers & Mathematics with Applications* **62** (12) (2011), 4592–4595.
- [7] R. C. Brigham, R. D. Dutton, T. W. Haynes, and S. T. Hedetniemi. Powerful alliances in graphs. *Discrete Applied Mathematics* **309** (2009), 2140–2147.
- [8] M. Chellali, T. W. Haynes, B. Randerath, and L. Volkmann. Bounds on the global offensive k -alliance number in graphs. *Discussiones Mathematicae Graph Theory* **29** (3) (2009), 597–613.

- [9] N. Chen. On the approximability of influence in social networks. *SIAM Journal of Discrete Mathematics* **23** (3) (2009), 1400–1415.
- [10] W. Chen and E. Song. Lower bounds on several versions of signed domination number. *Discrete Mathematics* **308** (10) (2008), 1837–1846.
- [11] M. Chopin. *Optimization problems with propagation in graphs: Parameterized complexity and approximation*. PhD thesis, Université Paris-Dauphine, France, 2013.
- [12] M. Chopin, A. Nichterlein, R. Niedermeier, and M. Weller. Constant thresholds can make target set selection tractable. In G. Even and D. Rawitz, editors, *Design and Analysis of Algorithms — First Mediterranean Conference on Algorithms, MedAlg*, volume 7659 of *LNCS*, pages 120–133. Springer, 2012.
- [13] F. Cicalese, M. Milanic, and U. Vaccaro. Hardness, approximability, and exact algorithms for vector domination and total vector domination in graphs. In O. Owe, M. Steffen, and J. A. Telle, editors, *Fundamentals of Computation Theory, FCT*, volume 6914 of *LNCS*, pages 288–297. Springer, 2011.
- [14] F. Dahme, D. Rautenbach, and L. Volkmann. α -domination perfect trees. *Discrete Mathematics* **308** (15) (2008), 3187–3198 .
- [15] P. Damaschke. Minus domination in small-degree graphs. *Discrete Applied Mathematics* **108**(1-2) (2001), 53–64.
- [16] D. Delic and C. Wang. Upper signed k -domination in a general graph. *Information Processing Letters* **110**(16)(2010), 662–665.
- [17] T. N. Dinh, D. T. Nguyen, and M. T. Thai. A unified approach for domination problems on different network topologies. In P. Pardalos, D. Du, and R. Graham, editors, *Handbook of Combinatorial Optimization, Supplement C*. Springer, 2013.
- [18] T. N. Dinh, Y. Shen, D. T. Nguyen, and My T. Thai. On the approximability of positive influence dominating set in social networks. *Journal of Combinatorial Optimization* **27** (3) (2014), 487–503.
- [19] J. Dunbar, S. T. Hedetniemi, M. A. Henning, and P. J. Slater. Signed domination in graphs. In *Graph Theory, Combinatorics and Applications*, pages 311–322. Wiley, New York, 1995.
- [20] J. E. Dunbar, W. Goddard, S. T. Hedetniemi, A. A. McRae, and M. A. Henning. The algorithmic complexity of minus domination in graphs. *Discrete Applied Mathematics* **68**(1-2) (1996), 73–84.
- [21] J. E. Dunbar, S. T. Hedetniemi, M. A. Henning, and A. A. McRae. Minus domination in graphs. *Discrete Mathematics* **199** (1-3) (1999), 35–47.

- [22] J. E. Dunbar, D. G. Hoffman, R. C. Laskar, and L. R. Markus. α -domination. *Discrete Mathematics* **211** (2000), 11–26.
- [23] R. I. Enciso. *Alliances in Graphs: Parameterized Algorithms and on Partitioning Series-Parallel Graphs*. PhD thesis, College of Engineering and Computer Science at the University of Central Florida; Orlando, Florida, USA, 2009.
- [24] O. Favaron, G. Fricke, W. Goddard, S. M. Hedetniemi, S. T. Hedetniemi, P. Kristiansen, R. C. Laskar, and D. Skaggs. Offensive alliances in graphs. *Discussiones Mathematicae – Graph Theory* **24** (2002), 263–275.
- [25] H. Fernau, J. A. Rodríguez, and S. M. Sigarreta. Offensive r -alliances in graphs. *Discrete Applied Mathematics* **157** (2009), 177–182.
- [26] H. Fernau and D. Raible. Alliances in graphs: a complexity-theoretic study. In J. van Leeuwen, G. F. Italiano, W. van der Hoek, C. Meinel, H. Sack, F. Plášil, and M. Bieliková, editors, *SOFSEM 2007, Proceedings Vol. II*, pages 61–70. Institute of Computer Science ASCR, Prague, 2007.
- [27] H. Fernau, J. A. Rodríguez-Velázquez, and J. M. Sigarreta. Global r -alliances and total domination. In *Proceedings of the 7th Cologne-Twente Workshop on Graphs and Combinatorial Optimization*, pages 98–101. Università degli Studi di Milano, 2008.
- [28] G. W. Flake, S. Lawrence, and C. L. Giles. Efficient identification of web communities. In *International Conference on Knowledge Discovery and Data Mining ACM SIGKDD*, pages 150–160. ACM Press, 2000.
- [29] Z. Füredi and D. Mubayi. Signed domination in regular graphs and set-systems. *Journal of Combinatorial Theory, Series B* **76** (2) (1999), 223–239.
- [30] R. Haas and T. B. Wexler. Bounds on the signed domination number of a graph. *Electronic Notes in Discrete Mathematics*, **11** (2002), 742–750.
- [31] R. Haas and T. B. Wexler. Signed domination numbers of a graph and its complement. *Discrete Mathematics* **283** (1-3) (2004), 87–92.
- [32] L. Harris. *Aspects of functional variations of domination in graphs*. PhD thesis, University of Natal, South Africa, 2003.
- [33] L. Harris and J. H. Hattingh. The algorithmic complexity of certain functional variations of total domination in graphs. *Australasian Journal of Combinatorics* **29** (2004), 143–156.
- [34] J. H. Hattingh, M. A. Henning, and P. J. Slater. The algorithmic complexity of signed domination in graphs. *Australasian Journal of Combinatorics* **12** (1995), 101–112.
- [35] T. W. Haynes, S. T. Hedetniemi, and P. J. Slater. *Fundamentals of Domination in Graphs*, volume 208 of *Monographs and Textbooks in Pure and Applied Mathematics*. Marcel Dekker, 1998.

- [36] H. Karami, A. Khodkar, and S.M. Sheikholeslami. An improved upper bound for signed edge domination numbers in graphs. *Utilitas Mathematica* **78** (2009), 121–128.
- [37] H. Karami, R. Khoeilar, S. M. Sheikholeslami, and A. Khodkar. Global signed domination in graphs. *BULLETIN of the Malaysian Mathematical Sciences Society* **36** (2) (2013), 363–372.
- [38] H. Karami, S. Sheikholeslami, and A. Khodkar. Some notes on signed edge domination in graphs. *Graphs and Combinatorics* **24** (2008), 29–35.
- [39] H. Karami, S. M. Sheikholeslami, and A. Khodkar. Signed edge majority total domination numbers in graphs. *Ars Combinatoria* **105** (2012), 375–385.
- [40] K. Khoshkhan, M. Nemati, H. Soltani, and M. Zaker. A study of monopolies in graphs. *Graphs and Combinatorics* **29** (2013), 1417–1427.
- [41] P. Kristiansen, S. M. Hedetniemi, and S. T. Hedetniemi. Alliances in graphs. *Journal of Combinatorial Mathematics and Combinatorial Computing* **48** (2004), 157–177.
- [42] C.-M. Lee. On the complexity of signed and minus total domination in graphs. *Information Processing Letters* **109** (20) (2009), 1177–1181.
- [43] H. Liang. On the signed (total) k -domination number of a graph. *Journal of Combinatorial Mathematics and Combinatorial Computing*. To appear, 2014.
- [44] N. Linial, D. Peleg, Yu. Rabinovich, and M. Saks. Sphere packing and local majorities in graphs. In *2nd Israel Symp. on Theory and Computing Systems*, pages 141–149, 1993.
- [45] C. L. Lu, S.-L. Peng, and C. Yi Tang. Efficient minus and signed domination in graphs. *Theoretical Computer Science* **301** (1-3) (2003), 381–397.
- [46] J. Matoušek. On the signed domination in graphs. *Combinatorica* **20** (1) (2000), 103–108.
- [47] S. Mishra, J. Radhakrishnan, and S. Sivasubramanian. On the hardness of approximating minimum monopoly problems. In M. Agrawal and A. Seth, editors, *Foundations of Software Technology and Theoretical Computer Science, FSTTCS 2002*, volume 2556 of *LNCS*, pages 277–288. Springer, 2002.
- [48] S. Mishra and S. B. Rao. Minimum monopoly in regular and tree graphs. *Discrete Mathematics* **306** (14) (2006), 1586–1594.
- [49] D. Peleg. Local majorities, coalitions and monopolies in graphs: a review. *Theoretical Computer Science* **282** (2) (2002), 231–257.
- [50] A. Poghosyan. *The Probabilistic Method for Upper Bounds in Domination Theory*. PhD thesis, University of the West of England, Bristol, 2010.
- [51] A. Poghosyan and V. Zverovich. Discrepancy and signed domination in graphs and hypergraphs. *Discrete Mathematics* **310** (2010), 2091–2099.

- [52] N. J. Rad and H. Rezazadeh. Open alliance in graphs. *International Journal of Mathematical Combinatorics* **2** (2010), 15–21.
- [53] J. A. Rodríguez-Velázquez and J. M. Sigarreta. Global defensive k -alliances in graphs. *Discrete Applied Mathematics* **157** (2) (2009), 211–218.
- [54] J. A. Rodríguez-Velázquez, I. G Yero, and J. M. Sigarreta. Defensive k -alliances in graphs. *Applied Mathematics Letters* **22** (1) (2009), 96–100.
- [55] K. H. Shafique. *Partitioning a graph in alliances and its application to data clustering*. PhD thesis, School of Computer Science, University of Central Florida, Orlando, 2001.
- [56] E. Shan, T. C. Edwin Cheng, and L. Kang. An application of the Turán theorem to domination in graphs. *Discrete Applied Mathematics* **156** (14) (2008), 2712–2718.
- [57] W. Shi, L. Kang, and S. Wu. Bounds on Laplacian eigenvalues related to total and signed domination of graphs. *Czechoslovak Mathematical Journal* **60** (2) (2010), 315–325.
- [58] J. M. Sigarreta. *Alianzas en Grafos*. PhD thesis, Universidad Carlos III de Madrid, Spain, 2007.
- [59] J. M. Sigarreta and J. A. Rodríguez-Velázquez. On defensive alliances and line graphs. *Applied Mathematics Letters* **19** (12) (2006), 1345–1350.
- [60] P. J. Slater. R -domination in graphs. *Journal of the ACM* **23** (3) (1976), 446–450.
- [61] J. A. Telle. Complexity of domination-type problems in graphs. *Nordic Journal of Computing* **1** (1994), 157–171.
- [62] J. A. Telle. *Vertex Partitioning Problems: Characterization, Complexity and Algorithms on Partial k -Trees*. PhD thesis, Department of Computer and Information Science, University of Oregon, USA, 1994.
- [63] E. Ungerer. *Aspects of Signed and Minus Domination in Graphs*. PhD thesis, Faculty of science of the Rand Afrikaans University, Johannesburg, South Africa, 1996.
- [64] L. Volkmann. Connected global offensive k -alliances in graphs. *Discussiones Mathematicae Graph Theory* **31** (4) (2011), 699–707.
- [65] C. Wang. The signed k -domination numbers in graphs. *Ars Combinatoria* **106** (2012), 205–211.
- [66] F. Wang, H. Du, E. Camacho, K. Xu, W. Lee, Y. Shi, and S. Shan. On positive influence dominating sets in social networks. *Theoretical Computer Science* **412** (3) (2011), 265–269.
- [67] B. Xu. On signed edge domination numbers of graphs. *Discrete Mathematics* **239** (2001), 179–189.

- [68] I. G. Yero. *Contribution to the study of alliances in graphs*. PhD thesis, Universitat Rovira i Virgili, Tarragona, Spain, 2010.
- [69] I. G. Yero and J. A. Rodríguez-Velázquez. Boundary defensive k -alliances in graphs. *Discrete Applied Mathematics* **158** (11) (2010), 1205–1211.
- [70] I. G. Yero and J. A. Rodríguez-Velázquez. Boundary powerful k -alliances in graphs. *Ars Combinatoria* **111** (2013), 495–504.
- [71] B. Zelinka. Signed total domination number of a graph. *Czechoslovak Mathematical Journal* **51** (2) (2001), 225–229.
- [72] W. Zhang, W. Wu, F. Wang, and K. Xu. Positive influence dominating sets in power-law graphs. *Social Network Analysis and Mining* **2** (2012), 31–37.
- [73] Z. Zhang, B. Xu, Y. Li, and L. Liu. A note on the lower bounds of signed domination number of a graph. *Discrete Mathematics* **195** (1-3) (1999), 295–298.
- [74] J. F. Zhao and B. G. Xu. On signed edge total domination numbers of graphs. *Journal of Mathematical Research & Exposition* **31** (2011), 209–214.
- [75] Y. Zheng, J. Wang, Q. Feng, and J. Chen. FPT results for signed domination. In M. Agrawal, S. B. Cooper, and A. Li, editors, *Theory and Applications of Models of Computation — 9th Annual Conference, TAMC*, volume 7287 of *LNCS*, pages 572–583. Springer, 2012.
- [76] F. Zou, J. K. Willson, Z. Zhang, and W. Wu. Fast information propagation in social networks. *Discrete Mathematics, Algorithms and Applications* **2** (2010), 126–141.