

A New View on the Course of Sexually Transmitted Diseases

Oripov Rustam Anvarovich

Assistant of the Department of Skin and Venereal Diseases of Samarkand Medical University

Karimov Kuvonchbek Ravshanovich

Samarkand State Medical University student

Article Information

Received: December 26, 2022

Accepted: January 27, 2023

Published: February 28, 2023

Keywords: Immunoassay,
syphilis

ABSTRACT

Enzyme immunoassay (ELISA) is one of the modern serological tests for syphilis and is used to diagnose both current and past syphilitic infection.

The determination of antitreponemal IgG and IgM is of crucial importance for the diagnosis of early forms of congenital syphilis, differential diagnosis of reinfection- relapses, as well as for the study of the causes of seroresistance.

Introduction: Syphilis is characterized by a fairly high number of patients, medical and social significance, difficulties in diagnosis and treatment. In the 90s, the fifth "wave" of the syphilis epidemic began in Russia, coinciding with unfavorable socio-economic factors, the growth of prostitution, and the abolition of legislative acts on the control and prevention of sexually transmitted infections. In 1991, the incidence of syphilis in the country per 100 thousand population was 7.2, and in 1997 it was 277.3, i.e. it increased 38.5 times, reaching its peak! In subsequent years, there was a gradual decrease in the incidence, however, and in 2013 the indicator is still high - 28.9. In 1997-2013, the incidence of syphilis in the country is 4 times higher than the initial 1991. It is natural that during the period of an increase in the incidence of syphilis, its early forms – Lues I and Lues II recens (or as it is customary to say today – secondary syphilis with a prescription of up to 6 months) prevail, with a decrease – hidden as early - with a prescription of up to 2 years, and later - more than 2 years. Latent forms of infection (both early and especially late) are insidious because they are a reservoir of possible neurosyphilis, its visceral forms. The second reservoirs of these crippling forms of syphilis are patients with seroresistance. Currently, seroresistance is understood as the state of the body, which is characterized by the absence of a decrease in the titers of reagins in the RMP (microprecipitation reaction) by 4 times or more within a year after the end of full-fledged specific treatment of syphilis. What has contributed to the increase in such a contingent of people since 1995? The epidemic of syphilis in the country required the transition to outpatient treatment of patients with this infection. Due to the lack of own research, registration of foreign benzatin-benzylpenicillin (extensillin, retarpen) was carried out, which allowed this transition to be made after the publication of the "Information Letter" in 1995. This official document allowed all infectious forms of syphilis (Lues I, Lues II, Lues latens praecox) to be treated with these reparations, including pregnant women.

Of course, treatment with benzatin-benzylpenicillin has played a positive role in the fight against the epidemic. However, in the future, cases of seroresistance began to appear and most often in patients with Lues II recidiva and with Lues latens praecox. In our opinion, back in that distant 1998, the treatment of the above-mentioned forms of syphilis with durant drugs should have been banned in Russia. Nowadays, it should be remembered that seroresistance is dangerous in its consequences. When performing a spinal puncture in this category of persons, changes in the cerebrospinal fluid (positive serological reactions, increased protein content, cytosis), combined with neurological symptoms, make it possible to establish neurosyphilis in about half of the patients.

The aim of the study was to determine the frequency of detection of antitreponemal IgG and Ig M in seroresistant syphilis.

Material and methods of research: The blood sera of 25 patients (14 men and 11 women) were examined, in whom serological reactions remained positive after the end of treatment. The main age category was a group of patients aged 20 to 40 years - 12 people, 8 patients aged 40 to 50 years, 5 patients aged 50 to 60 years. The ELISA procedure was performed according to the instructions for use attached to the test system (TS), the optical density of the samples was recorded using a flatbed spectrophotometer (Multiscan, Finland).

In terms of reaction mechanism, sensitivity and specificity, ELISA is close to immunofluorescence (RIF) reactions. The participation of the same antibodies in these reactions, a close titer level, and a high frequency of matching results were noted. Therefore, the results of Ig M-ELISA were compared with DAC and RIBT

Results: To detect IdM in people with seroresistance, it is advisable to use test systems characterized by high sensitivity in the late stages of syphilis. It is not recommended to use test systems designed only for early diagnosis of syphilis to detect IdM in people with seroresistance. Since according to the literature, the sensitivity of such test systems in seroresistant syphilis is about 6%. The results of ELISA in the group of patients with seroresistant syphilis are in good agreement with the ideas of suppressing the expression of IdM after adequate specific therapy while maintaining the synthesis and circulation of Ig G in the blood.

It should be noted that all 25 sera were IgM negative, but IgG- positive with varying degrees of optical density (OP). 18 samples had OP above 1.0 and 7 samples had OP below 1.0 Traditional serological tests were positive.

Conclusion: One of the main measures aimed at preventing an increase in the incidence of syphilis is the early diagnosis of this infection. Due to the development of more sensitive, specific and less time-consuming serological methods, the use of ELISA has become possible, as well as its use for confirmation in patients with seroresistance in syphilis.

Literature:

1. Тошев С. У., Сулаймонов А. Л., Тиллакобилов И. Б. ТЕРАПИЯ ВИТИЛИГО С ПРИМЕНЕНИЕМ ПОЛИОКСИДОНИЯ В СОЧЕТАНИИ С ЛЮКОДЕРМИНОМ //Высшая школа: научные исследования. – 2019. – С. 55-59.
2. Тошев С. У., Аширов З. Ф., Абдуллаев Х. Д. ЛЕЧЕНИЕ ВИТИЛИГО 308-НМ ЭКСИМЕРНЫМ ЛАЗЕРОМ //Актуальные аспекты медицинской деятельности. – 2021. – С. 240-243.
3. Salamova L. A. et al. Evaluation of the effectiveness of the drug gepon in the treatment of genital condylomas. – 2021.
4. Davlatovich A. X. VAGINAL TRIXOMONADLAR SHITAMMASINI TRIXOPOLGA VA XIMOTRIPSIN BILAN BILAN SEZGICHLIGINI ANIQLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 645-647.
5. Davlatovich A. X., Orifovich S. D., Baxtiyorovich A. S. Studying the Relationship of Local

- Immune Status and the Course of Burn Disease //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 679-682.
6. Xolmurodovich D. J., Umidovich N. T., Davlatovich A. X. CLINIC COURSE OF NONSPECIFIC PNEUMONIA //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 510-513.
 7. Абдуллаев Х. Д. и др. ЛАЗЕР В ЛЕЧЕНИИ ВИТИЛИГО //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 495-500.
 8. Hikmatovich I. N. et al. The use of Fungite in the Local Treatment of Genital Herpes //International Journal of Innovative Analyses and Emerging Technology. – 2021. – Т. 1. – №. 5. – С. 231-232.
 9. Davlatovich A. X., O'gli A. B. X., O'gli I. A. S. BOLALARDA GENITAL GERPESNI DAVOLASH SAMARADORLIGINI BAHOLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 367-369.
 10. Xolmurodovich D. J., Orifovich R. S., Davlatovich A. X. FEATURES OF THE MICROELEMENT STATUS FOR THE DEVELOPMENT OF ATOPIC DERMATITIS IN CHILDREN //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 447-450.
 11. Davlatovich A. X. DETERMINATION OF GENE ACTIVITY IN VITILIGO PATIENTS //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 451-454.
 12. Davlatovich A. X. et al. EVALUATION OF THE GENERAL SOMATIC STATUS OF PATIENTS WITH VITILIGO BASED ON THE DETERMINATION OF THE CONTENT OF NATURAL ANTIBODIES TO VARIOUS ORGANIS AND TISSUES OF THE BODY //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 472-476.
 13. Davlatovich A. X. et al. USING IMMUNOMAX AND 0.1% TACROLIMUS OINTMENT IN THE TREATMENT OF VITILIGO //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 559-562.
 14. Абдуллаев Х., Толибов М. Allergodermatozlar bilan bog'liq bo'lgan vulgar acneni kompleks davolash Samaraligini o'rganish //Журнал гепато-гастроэнтерологических исследований. – 2021. – Т. 2. – №. 3.2. – С. 73-74.
 15. Ахмедов Ш. К. и др. ЭФФЕКТИВНОСТЬ ЛЕЧЕНИЯ ИЗОТРЕТИНОИНА ПРИ ЛЕЧЕНИИ УГРЕВОЙ БОЛЕЗНИ //Академический журнал Западной Сибири. – 2015. – Т. 11. – №. 1. – С. 56-56.
 16. Нуруллаева А. А., Рахматова А. Х., Абдуллаев Х. Д. ЗНАЧЕНИЕ МИКРОБНОГО ОБСЕМЕНЕНИЯ КОЖИ ПРИ НЕКОТОРЫХ ЗУДЯЩИХ ДЕРМАТОЗАХ //Молодежь и медицинская наука в XXI веке. – 2019. – С. 125-125.
 17. Абдуллаев Х. Д., Собиров М. С., Жумаева Д. Х. НЕРВНО-ПСИХИЧЕСКИЙ СТАТУС У БОЛЬНЫХ СЕБОРЕЕЙ //Молодежь и медицинская наука в XXI веке. – 2018. – С. 115-116.
 18. Iskandarovna K. M. SIFILISNING IMMUNOASSAY SHAKLLARI //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 534-536.
 19. Iskandarovna K. M., Dilshodovna A. D., Adxamovna A. A. Impact of Socio-Hygienic Conditions of Life on the Health of Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 644-646.

20. Iskandarovna K. M. et al. Comprehensive Assessment of the Levels of Somatic Health and Disturbances of Adaptation Reserves in Medical Students //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 641-643.
21. Iskandarovna K. M., Alamovich K. A., Rabbimovich N. A. Treatment of Urethrogenic Prostatitis Associated with Chlamydia Infection //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI. – 2021. – Т. 1. – №. 5. – С. 44-46.
22. Iskandarovna K. M., Buribaevna I. S., Azamovna A. N. Immunoassay Forms of Syphilis //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI. – 2021. – Т. 1. – №. 5. – С. 47-49.
23. Ахмедова М. М., Абдуллаев Х. Д., Камолова М. И. ОЦЕНКА ЭФФЕКТИВНОСТИ МЕТОДОВ ЛЕЧЕНИЯ ОНИХОМИКОЗОВ У ВЗРОСЛЫХ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 186-190.
24. Абдуллаев Д. М., Абдуллаев Х. Д., Камолова М. И. ОПЫТ ПРИМЕНЕНИЯ КРЕМАТЕРБИЗИЛ ПРИ ЛЕЧЕНИИ МИКОЗОВ //BARQARORLIK VA YETAKSHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – Т. 2. – №. 3. – С. 181-185.
25. Teshaboeva K., Israilova S., Qurbonov A. PREVENTION MEASURES FOR MAJOR NON-EPIDEMIC DISEASES //МОЛОДОЙ ИССЛЕДОВАТЕЛЬ: ВЫЗОВЫ И ПЕРСПЕКТИВЫ. – 2021. – С. 97-99.
26. Islamov N. X. et al. Epidemiology Analysis Of Treated Patients With Skin Leishamizam In Djizak Region (Uzbekistan) //Academicia Globe: Inderscience Research. – 2021. – Т. 2. – №. 05. – С. 93-97.
27. Iskandarovna K. M., Buribaevna I. S., Azamovna A. N. Immunoassay Forms of Syphilis //TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI. – 2021. – Т. 1. – №. 5. – С. 47-49.
28. Ruzieva Z. I. Risk factors for primary atelectasis in newborns. – 2022.
29. HAYITOVA I. PEDAGOGICAL DESIGN IN THE ORGANIZATION OF INDEPENDENT WORK OF STUDENTS IN DISTANCE EDUCATION //PUBLIC CONTROL IN EXECUTIVE AUTHORITIES.
30. Buribayevna I. S., Abdulvohidovich J. S. Attitude of Schoolchildren and Students to Leading a Healthy Lifestyle //Web of Synergy: International Interdisciplinary Research Journal. – 2023. – Т. 2. – №. 1. – С. 207-210.
31. Abrorova N. FACTORS SHAPING A HEALTHY LIFESTYLE AMONG ADOLESCENTS //МОЛОДОЙ ИССЛЕДОВАТЕЛЬ: ВЫЗОВЫ И ПЕРСПЕКТИВЫ. – 2021. – С. 221-223.
32. Abduhakimovna R. S., Abdulvakhidovich Z. S., Buribaevna I. S. Comparative analysis of the problems of acute intestinal infections in young children in the section of years of the samarkand region //Web of Scientist: International Scientific Research Journal. – 2022. – Т. 3. – №. 6. – С. 1098-1105.
33. Buriboevna I. S. SOG'LIQNI SAQLASHGA MOLIYAVIY RESURSLARNING SARFLANISHINI O'RGANISH //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 3. – С. 49-54.
34. Уралов Ш. М., Жураев Ш. А., Исраилова С. Б. О ВЛИЯНИИ ЗАНЯТИЙ ФИЗИЧЕСКОЙ КУЛЬТУРЫ НА КАЧЕСТВО ЖИЗНИ СТУДЕНТОВ //SO 'NGI ILMIY TADQIQOTLAR NAZARIYASI. – 2022. – Т. 1. – №. 3. – С. 14-19.

35. Dustova G., Soxiba I. TIBBIYOT OLIY O 'QUV YURTLARIDA SOG 'LOM TURMUSH TARZI HAQIDA TA'LIM BERISHNING O 'ZIGA XOS XUSUSIYATLARI //Eurasian Journal of Academic Research. – 2022. – Т. 2. – №. 12. – С. 754-759.
36. Ахмедова М. Д. и др. СОВРЕМЕННАЯ ЭПИДЕМИОЛОГИЧЕСКАЯ СИТУАЦИЯ ПО КОЖНЫМ ЛЕЙШМАНИОЗАМ В УЗБЕКИСТАНЕ //Механізми розвитку науково-технічного потенціалу: тези доп. I Міжнародної науково-практичної інтернет-конференції, 11-12 листопада 2021 р.–ФОП Мареніченко ВВ–Дніпро, Україна, 2021.–237 с. – С. 67.
37. Buriboevna I. S. OLIY O 'QUV YURTLARIDA "JAMOAT SALOMATLIGI VA SOG 'LIQNI SAQLASH" FANINI O 'RGANISH VA O 'TKAZISH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIY JURNALI. – 2022. – С. 370-373.
38. Juraev S. et al. Clinical and epidemiological features of the course of mumps infection in the adult population of Samarkand region //Turkish Journal of Physiotherapy and Rehabilitation. – Т. 32. – №. 2.
39. Уралов Ш. М., Жураев Ш. А., Исраилова С. Б. О влиянии факторов окружающей среды на качество жизни и здоровье молодежи //So 'ngi ilmiy tadqiqotlar nazariyasi. – 2022. – Т. 1. – №. 3. – С. 6-13.
40. Аминов З. З. и др. Современные аспекты ситуации по малярии в Узбекистане //Academy. – 2020. – №. 6 (57). – С. 99-101.
41. Жураев Ш. А. и др. ОСОБЕННОСТИ ПРОТЕКАНИЯ ВЕТРЯНОЙ ОСПЫ В СОВРЕМЕННЫХ УСЛОВИЯХ (ПО ДАННЫМ РЕТРОСПЕКТИВНОГО АНАЛИЗА) //Медицинское образование сегодня. – 2020. – №. 3. – С. 15-25.
42. Жураев Ш. А., Исраилова С. Б., Уралов Ш. М. О необходимости профилактики завозной малярии в среднеазиатском регионе //Актуальные аспекты медицинской деятельности. – 2020. – С. 162-169.
43. Исраилова С. Б., Жураев Ш. А., Уралов Ш. Сравнительный анализ различных календарей прививок у детей //Детская медицина Северо-Запада. – 2020. – Т. 161.