


Jurnal Ilmiah  
**FARMASI**

(Scientific Journal of Pharmacy)



**JURNAL ILMIAH FARMASI**  
(SCIENTIFIC JOURNAL OF PHARMACY)

**PIMPINAN UMUM/ PENANGGUNG JAWAB**  
Dekan Fakultas Matematika dan Ilmu Pengetahuan Alam  
Universitas Islam Indonesia

**WAKIL PIMPINAN UMUM/ WAKIL PENANGGUNG JAWAB**  
Ketua Jurusan Farmasi FMIPA UII

**MITRA BESTARI**

1. Prof. Dr. Wiryatun Lestariana, Apt
2. Prof. Dr. Zullies Ikawati, Apt
3. Prof. Dr. Sudibyo Martono, Apt
4. Dr. Tedjo Yuwono, Apt
5. Prof. Dr. Dachriyanus, Apt
6. Prof. dr. Iwan Dwiprahasto, MMedSc, PhD
7. Prof. Dr. Lukman Hakim M.Sc., Apt
8. Prof. Dr. Achmad Fudholi, DEA, Apt
9. Prof. Dr. Ibnu Gholib Gandjar, DEA., Apt

**DEWAN EDITOR**

Ketua : Saepudin, M.Si., Apt  
Sekretaris : Rochmy Istikharah, M.Sc., Apt.  
Anggota : Vitarani Dwi Ananda Ningrum, M.Si., Apt  
Okti R. Mafruhah, MSc., Apt  
Dimas Adhi Pradana, MSc., Apt.  
Fithria DA. Suryanegara, MSc., Apt.  
Ari Wibowo, S.Farm., Apt  
Arba Pramudita Ramadani, MSc., Apt.  
Oktavia Indrati, S.Farm., Apt.

**Penerbit**

Jurusan Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam  
Universitas Islam Indonesia

**Alamat Penerbit**

Jurusan Farmasi FMIPA UII  
Jl. Kaliurang Km. 14,4 Yogyakarta 55584  
Telp. (0274) 896439 ext. 3047  
Email: jif@uii.ac.id

# **KARAKTERISASI FISIKOKIMIA DAN LAJU DISOLUSI DISPERSI PADAT IBUPROFEN DENGAN PEMBAWA POLIETILENGLIKOL 6000**

Erizal Zaini\*, Rahmi Nofita, Salman, Irna Kurniati

Laboratorium Teknologi Farmasi, Fakultas Farmasi, Universitas Andalas  
Kampus Limau Manis, Sumatera Barat, Indonesia

\*e-mail: erizal\_faua@yahoo.co.id

## **ABSTRACT**

Solid dispersions of the antiinflammation drug ibuprofen and polyethylene glycol 6000 (PEG 6000) were prepared by the melting method in order to increase the dissolution rates of this poorly water-soluble compound. The temperature/composition phase diagram of binary system was analyzed by thermal analysis hot-stage microscopy, showing an eutectic formation. Polarized light hot stage microscopy and X-ray-powder diffraction confirmed, that solid dispersion technique decrease the crystallinity of ibuprofen after melting and solidifying of a 4/6 (w/w) mixture of ibuprofen and polyethylene glycol 6000 respectively, which the results enhanced dissolution rates compared to the physical mixtures and ibuprofen intact. However, no such chemical interactions in the solid state were confirmed by FTIR spectra which showed the presence of ibuprofen crystalline in solid dispersion.

Keywords: solid dispersions, ibuprofen, polyethylene glycol 6000