# A Review and an Approach of Flying Electric Generators as Alternate Source of Energy

Sanket P. Wankhade<sup>1</sup>, Shubham G. Darokar<sup>2</sup>, Rohit R. Dabhade<sup>3</sup>, Shubham V. Lasankute<sup>4</sup>, Prof. Vikramsingh R. Parihar <sup>5\*</sup>

1,2,3,4 U.G. students, Department of Electrical Engineering, Prof Ram Meghe College of Engineering and Management,
Badnera-Amravati, India

<sup>5</sup> Assistant Professor, Department of Electrical Engineering, Prof Ram Meghe College of Engineering and Management, Badnera-Amravati, India

Email: vikramparihar05@gmail.com

**Abstract**— This paper presents a review of flying electric generators which are used to harness kinetic energy in powerful, persistent high altitude winds. It has been found that FEGs could give individual output of up to 40MW. It is a lighter wind turbine that rotates about a horizontal axis in response to wind, generating electrical energy. This electrical energy is transferred down for immediate use, or to a set of batteries for later use, or to the power grid. This paper presents the critical analysis of existing literature which is relevant to flying electric generator Though, the literature consists of a lot many research contributions, but, here, we have analyzed some important research and review papers. The existing approaches are categorized based on the basic concepts involved in the mechanisms. The emphasis is on the concepts used by the concerned authors, the database used for experimentations and the performance evaluation parameters. Their claims are also highlighted. Finally, the findings are summarized related to the studied and analyzed research papers. Paper concludes with the motivation behind identified problem.

Keywords—Flying Electric Generator (FEG), Wind Turbines, Alternate Source of Energy, Energy Harvesters, Magenn Air Rotor System (MARS).

### I. INTRODUCTION

Flying electric generator are proposed to harness kinetic energy in powerful, persistent high altitude winds. At 1500ft (4600m) and above, tethered rotorcraft, with four or rotors mounted on each unit, could give individual output of up to 40MW. Flying Electric Generator (FEG is one of the recently found energy source. FEG is a lighter wind turbine that rotates about a horizontal axis in response to wind, generating electrical energy. This electrical energy is transferred down for immediate use, or to a set of batteries for later use, or to the power grid. Helium (an inert non-reactive lighter than air) sustains the Air Rotor which ascend to an altitude for best wind and

its rotation also causes the Magnus effect. This provides additional lift, keeps the device stabilized, and keeps it positioned within a very controlled and restricted location. This is the latest technology in Energy sector and cheaper than other techniques and Eco friendly.

The propeller turbine on the flying device or the flow induced rotational motion of the complete device drives on-board generators from where the electrical energy is transmitted to the ground by a conductive tether A good example of this category is the balloon concept developed by Magenn Power Inc. namely Magenn Air Rotor System. In this concept, a balloon filled with helium stationary at a height of 200 m to 350 m altitude rotates around a horizontal axis connected to a generator. The electrical energy produced is transmitted to the ground by a conductive tether for consumption or to a set of batteries or to the power grid. The Magenn Air Rotor System rotation also generates the "Magnus effect" which provides additional lift, keeps the rotor system stabilized and positions it within a very controlled and restricted location [4]. Flygen concept takes advantage of this principle by mounting small turbines on a wing or an array of turbines on a multi-wing structure that itself acts like the tip of a traditional turbine blade. The FEG is filled with helium gas, which is inert and non-flammable.

### II. LITERARURE REVIEW

This chapter presents the critical analysis of existing literature which is relevant flying electric generator Though, the literature consists of a lot many research contributions, but, here, we have analyzed some important research and review papers. The existing approaches are categorized based on the basic concepts involved in the mechanisms. The emphasis is on the concepts used by the concerned authors, the database used for experimentations and the performance evaluation parameters. Their claims are also highlighted. Finally, the findings are summarized related to the studied and

www.ijaers.com Page | 173

analyzed research papers. Chapter concludes with the motivation behind identified problem.

Table.1: Literature Review

Sr.	Ref. no. Concerned	Concept used	Claimed by	Our findings
No.	Author(s) and years		concern authors	
			(s)	
1	Mr.Sankaran	Lifting mechanism using	Lifting is very	Complexity Is More
	Nampoothiri Ms.	helium gas filling	simple by this	In This Volume
	Dhanya G2, Harvester,		mechanism	
	Apr-2016			
2	ODoherty, R. J.,	Upper Wind data in One	Air pressure is very	Very helpful in
	Roberts, B. W.	Design of Tethered Wind	important	designing of mars
	Res.Institute, Feb 1982	Energy System. Solar Energy	While designing the	system
			mars system	
3	CH.Uday kiran reddy -	Lifting mechanism using	Helium gas is most	Helium gas
	Y.Das arath - 2009	helium gas	suitable for lifting	properties is given
				which are very
				helpful
4	kamini n. shelke	This concept is used magenn	none	Magenn air rotor
	December- 2012	air rotor systemis used		systemis described
				very simply
5	Rakesh chaudari	Electrical	a high torque less	Good performance
	april 2015	Energy generation by mars	speed is of very	
			small in size	

## III. PROBLEM FORMULATION

There are many ways to generate electricity such as nuclear, thermal, diesel, solar, hydropower based generation system. In nuclear based generation there is always risk of nuclear radiation accident also it requires high initial cost and impacts on human life. In thermal based generation there is a huge production of CO2 in atmosphere and it depends on availability of coal as fuel. In diesel based generation running charges are more due to high cost of diesel and also cost of lubrication. These are the problems that occurs in generation of electricity In flying electric generator there is no need non-renewable fuel. Also it does not have any impact on environment or human life. There are various problems that are overcome by flying electric generator

### IV. PROPOSED APPROACH

## A) Working

The Turbine Filled with Helium is deployed with the help of a tether made from a Vectra and high performance multifilament yarn spun from liquid crystal polymer, which is stronger than Steel with high Strength to Weight Ratio. The Flying Electric Generator (FEG) is an innovative lighter-than-air tethered device that rotates about a horizontal axis in response to wind, efficiently

generating clean renewable electrical energy at a lower cost than all competing systems. This electrical energy is transferred down the tether to a transformer at a ground station and then transferred to the electricity power grid.




Fig.1: Functional Block Diagram

- As the rotor of the electric generator rotates due to high velocity wind it produces very high torque. u
- There is a step-up gear box which connects the lowspeed shaft to the high-speed shaft and increases the

www.ijaers.com Page | 174

- rotational speeds from about 30 to 60 rotations per minute (rpm) to about 1200 to 1500 rpm. u
- The electrical energy thus produced is transferred down the tether for consumption, or to a set of batteries or the power grid.
- It is a windmill similar to a conventional one in its working principle but here the rotor and generator will be floating in air just like a hot air balloon.
- The generator will be enclosed in an inflatable structure and this structure is held by a Tether and tied to the ground.

## B) Lifting Mechanism




Fig.2: Magenn Air Rotor System

The helium filled MARS is a buoyant turbine made of vectran – a bulletproof material that is stronger than steel of the same thickness – and is connected to the ground by an insulated conductive tether. The unit can rise to a height of 300 to 1,000 feet to take advantage of more constant and higher wind speeds at higher altitudes that conventional wind turbines are unable to reach. While in the sky, the MARS turbine spins in the wind, generating electricity. The current is transferred down the tether for consumption, battery storage or transmitted to a power grid.

The MARS units will have an internal bladder system to maintain pressure. Helium leakage is not an issue under normal conditions; excess air turbulence and gusting might present a small risk but this craft has been designed to withstand challenges. Unlike in a child's balloon, helium leaks at a rate of only half of a percent per month in these designs.

Helium is a light inert gas and the second most abundant element in the universe. Helium provides extra lift and will keep MARS at altitude in very low winds or calm air. It is also plentiful, inexpensive and environmentally safe. Helium's inert quality over other lifting gases makes it very acceptable.

MARS will be constructed with composite fabrics used in airships today. The fabric will be either woven Dacron or Vectran with an inner laminated coating of Mylar to reduce porosity and an exterior coating of Tedlar which will provide ultra-violet protection, scuff resistance and color.

Over speed controls are built into the design of MARS. On the larger MARS units, excessive speed is controlled by moderating tether height. Pressure is constantly monitored and controlled. Rotation speed, wind speed, and generator functions are also monitored. Depending on size, either DC or AC generators will be used, with rectification as necessary.

MARS units must and will have lighting every 50 feet, and the lights must flash once per second. All MARS units must and will have a mechanism to quickly deflate in case a unit gets detached from its tether.



Fig.3: Helium Gas Filling

The Magenn Air Rotor System (MARS) is the next generation of wind turbines with cost and performance advantages over existing systems. MARS is a lighterthan-air tethered wind turbine that rotates about a horizontal axis in response to wind, generating electrical energy. Helium sustains the Magenn Air Rotor System, which ascends to an altitude as selected by the operator for the best winds. Its rotation also generates the "Magnus" effect. This aerodynamic phenomenon provides additional lift, keeps the MARS device stabilized, positions MARS within a very controlled and restricted location, and finally, causes MARS to pull up overhead to maximize altitude rather than drift downwind on its tether

C) Arrangement of Mars

www.ijaers.com Page | 175




Fig.4: Arrangement

Helium is not the only thing that keeps the object aloft. Combined with its shape, the spinning generates lift using what is called the Magnus effect, which also tends to keep the craft overhead on its tether, rather than drifting downwind. The bigger the MARS unit, the easier it is to build heavier stronger structures, envelopes, and generators. As an example, the largest MARS units planned (100' x 300') will have tens of tons of buoyant (helium) lift. This is well in excess of the overall Air Rotor system weight.

Due to the inherent elegance of the design, the Magenn Air Rotors will always weather-vane properly. Regardless of wind direction, the deflection disk will ensure MARS units will automatically rotate toward the wind, with the Magnus aerodynamic effect creating additional lift.

## V. EXPERIMENTAL RESULTS




Fig.5: Graph showing estimated performance

From the graph it is verified that the power output of the floating air balloon increases exponentially as the wind speed increases. As the flow of wind is considerably high at higher altitude.

#### VI. CONCLUSION AND FUTURE SCOPE

This section presents the conclusions drawn from the evaluation and comparison of experimental results. The section concludes with future scope.

## **Conclusion:**

FEG technology will be applied off-grid and combined with diesel power for developing nations, island nations, farms, remote areas, cell towers, exploration equipment, oil and gas wells, mining sites, offshore drilling stations, and backup power & water pumps. FEG could also be used for on-grid applications for farms, factories, and remote communities. We know that Wind energy is a CLEAN Energy i.e. Pollution-free and eco-friendly. Also wind energy is a renewable energy. This paper presents the critical analysis of existing literature which is relevant to flying electric generator Though, the literature consists of a lot many research contributions, but, here, we have analyzed some important research and review papers. The existing approaches are categorized based on the basic concepts involved in the mechanisms. The emphasis is on the concepts used by the concerned authors, the database used for experimentations and the performance evaluation parameters. Their claims are also highlighted. Finally, the findings are summarized related to the studied and analyzed research papers. Paper concludes with the motivation behind identified problem.

#### **Future Scope:**

- Uses: Charging batteries and using them to light up the streets, etc.
- Suitable for parking at multiplexes, malls, toll booths, signals etc.
- Such speed breakers can be designed for heavy vehicles, thus increasing input torque and ultimately output of generator
- More suitable and compact mechanism to enhance efficiency

## REFERENCES

- [1] Mr. Sankaran Nampoothiri , Ms. Dhanya G2,A Review on Flying Electric Generator as an Alternate Source of Energy Harvester,irjet ,Volume: 03 pp 143-214,04 Apr-2016
- [2] ODoherty, R. J., Roberts, B. W. Application of Upper Wind data in One Design of Tethered Wind Energy System. Solar Energy Res. Institute, Golden Colorado, volume 5 USA pp 123-231, 15 Feb 1982,
- [3] Mr. uday kiran reddy , y. dasharath reddy flying windmill , vol4,pp25-47,7 February 2010

<u>www.ijaers.com</u> Page | 176

- [4] Steven Kambouris The Flying Electric Generator: Evaluating theclaims of a largely ignored proposal for generating electricity from high-altitude winds volume 4-14 pp 154-213 September 2015
- [5] Kamini.N.Shelke,"Magenn Air Rotor System (MARS)", vol no:2pp 144-182, 27 December 2012.
- [6] Rakesh Chaudari,"Electric Energy Generation by MARS" Vol no 4, 2, pp 73-129 April 2015.
- [7] Aldo U Zgraggen,"Automatic Retraction and Full Cycle Operation for a Class of Airborne Wind Energy, volume 2,pp154-145, 25 October 2009.
- [8] Vikramsingh R. Parihar, Graph Theory Based Approach for Image Segmentation Using Wavelet Transform, International Journal of Image Processing (IJIP), Volume 8, Issue 5, pp 255-277, Sept 2014
- [9] Vikramsingh R. Parihar, Heartbeat and Temperature Monitoring System for Remote Patients using Arduino, International Journal of Advanced Engineering Research and Science (IJAERS), Volume 4, Issue 5, PP 55-58, May 2017
- [10] Vikramsingh R. Parihar, PC Controlled Electrical Line Cutting System, International Journal of Engineering Science and Computing (IJESC), Volume 7, Issue 5, pp 11380-11381, May 2017
- [11] Vikramsingh R. Parihar, Overview and an Approach to Develop a Four Quadrant Control System for DC Motors without using Microcontroller, International Journal of Engineering Science and Computing (IJESC), Volume 7, Issue 5, pp 11879-11881, May 2017
- [12] Vikramsingh R. Parihar, Image Analysis and Image Mining Techniques: A Review, Journal of Image Processing and Artificial Intelligence (MAT Journals), June 2017
- [13] Vikramsingh R. Parihar, Power Transformer Protection using Fuzzy Logic based Controller, International Journal of Engineering Research (IJER), Volume 6, Issue 7, pp 366-370, July 2017
- [14] Vikramsingh R. Parihar, Overview and an Approach to Real Time Face Detection and Recognition, International Advanced Research Journal in Science, Engineering and Technology (IARJSET), Volume 4, Issue 9, PP 39-46, Sept 2017
- [15] Vikramsingh R. Parihar, Neural Network and Fuzzy Logic Based Controller For Transformer Protection, International Journal of Current Engineering and Scientific Research (IJCESR), Volume 4, Issue 9, PP 33-38, Sept 2017
- [16] Vikramsingh R. Parihar, A Novel Approach to Power Transformer Fault Protection using Artificial Neural Network, International Journal of Current Engineering and Scientific Research (IJCESR), Volume 4, Issue 9, PP 33-38, Sept 2017

- [17] Vikramsingh R. Parihar, Power Transformer Fault Protection using Artificial Neural Network, Journal of Electrical and Power System Engineering (MAT Journals), Volume 3, Issue 3, pp 1-5, Sept 2017
- [18] Vikramsingh R. Parihar, Fuzzy Logic based Controller for Power Transformer Protection, Journal of Electrical and Power System Engineering (MAT Journals), Volume 3, Issue 3, pp 1-5, Oct 2017
- [19] Vikramsingh R. Parihar, Real Time Face Detection and Recognition: Overview and Suggested Approach, Journal of Image Processing and Artificial Intelligence (MAT Journals), Volume 3, Issue 3, pp 1-6, Sept 2017
- [20] Vikramsingh R. Parihar, A Novel Approach to Real Time Face Detection and Recognition, International Journal of Computer Sciences and Engineering (IJCSE), Volume 5, Issue 9, pp 62-67, Sept 2017
- [21] Vikramsingh R. Parihar, Automatic Irrigation System Using Android Mobile: A Review, International Journal of Advanced Research in Computer and Communication Engineering (IJARCCE), Volume 6, Issue 9, pp 200-203, Oct 2017
- [22] Vikramsingh R. Parihar, Transmission Line Multiple Fault Detection: A Review and an Approach, International Journal of Current Engineering and Scientific Research (IJCESR), Volume 4, Issue 10 pp 1-7, Oct 2017
- [23] Vikramsingh R. Parihar, Regenerative Braking System for Energy Harvesting from Railways and Vehicles: A Review and an Approach, International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering (IJIREEICE), Volume 5, Issue 10, pp 18-25, Oct 2017
- [24] Vikramsingh R. Parihar, RFID Based Student Attendance Management System: A Review and an Approach, International Advanced Research Journal in Science, Engineering and Technology (IARJSET), Volume 4, Issue 9, pp 262-265, Sept 2017
- [25] Vikramsingh R. Parihar, Distance Protection Problem in Series-Compensated Transmission Lines, International Journal of Advanced Trends in Technology, Management and Applied Science (IJATTMAS), Volume 3, Issue 10, pp 44-48, Oct 2017
- [26] Vikramsingh R. Parihar, Series-Compensated Transmission Line Problem in Distance Protection, International Journal of Electrical, Electronics and Communication Engineering (IJEECE), Volume 3, Issue 10, pp 1-9, Oct 2017
- [27] Vikramsingh R. Parihar, Series Compensated Line Protection using Artificial Neural Network, International Advanced Research Journal in Science,

<u>www.ijaers.com</u> Page | 177

- Engineering and Technology (IARJSET), Volume 4, Issue 10, pp 102-111, Oct 2017
- [28] Vikramsingh R. Parihar, Protection Scheme of Fault Detection in High Voltage Transmission Line, International Journal of Advanced Trends in Technology, Management and Applied Science (IJATTMAS), Volume 3, Issue 11, pp 1-4, Nov 2017
- [29] Vikramsingh R. Parihar, IOT Based Communication Technology for High Voltage Transmission System, Journal of Electrical and Power System Engineering (MAT Journals), Volume 3, Issue 3, pp 1-6, Nov 2017
- [30] Vikramsingh R. Parihar, Transmission Line Protection Analysis using STATCOM, International Journal of Advanced Trends in Technology, Management and Applied Science (IJATTMAS), Volume 3, Issue 11, pp 23-26, Nov 2017
- [31] Vikramsingh R. Parihar, A Review on Transmission Line Fault Detection Techniques, International Journal of Advanced Trends in Technology, Management and Applied Science (IJATTMAS), Volume 3, Issue 11, pp 27-32, Nov 2017
- [32] Vikramsingh R. Parihar, Transmission Line Protection using Distance Relays, International Journal of Electrical, Electronics and Communication Engineering (IJEECE), Volume 3, Issue 1, pp 1-15, Nov 2017
- [33] Vikramsingh R. Parihar, Protection of Power Transformers using Artificial Neural Network and Fuzzy logic, International Journal of Advanced Trends in Technology, Management and Applied Science (IJATTMAS), Volume 3, Issue 11, pp 72-79, Nov 2017
- [34] Vikramsingh R. Parihar, Control System Security: An Issue, Journal of Control System and Control Instrumentation (MAT Journals), Volume 3, Issue 3, pp 1-5, Dec 2017
- [35] Vikramsingh R. Parihar, Resilient Designs of Control Systems Analysis and Review, Journal of Control System and Control Instrumentation (MAT Journals), Volume 3, Issue 3, pp 1-9, Dec 2017
- [36] Vikramsingh R. Parihar, Industrial Control System Cyber Security: Review & Recommendations, Journal of Network Security Computer Networks (MAT Journals), Volume 3, Issue 3, pp 1-9, Dec 2017
- [37] Vikramsingh R. Parihar, Operational Analysis of Infrared Gas Sensor, Journal of Instrumentation and Innovation Sciences (MAT Journals), Volume 4, Issue 1, pp 1-5, Dec 2017
- [38] Vikramsingh R. Parihar, Automatic Fault Detection in Transmission Lines using GSM Technology, International Journal of Innovative Research in

- Electrical, Electronics, Instrumentation and Control Engineering (IJIREEICE), Volume 6, Issue 4, pp 90-95, April 2018
- [39] Vikramsingh R. Parihar, UPFC based distance relays for protection of transmission systems employing FACTS, International Journal of Advanced Engineering and Technology (IJAET), Volume 2, Issue 2, pp 4-7, May 2018
- [40] Vikramsingh R. Parihar, Power Substation Protection from Lightening Over voltages and Power Surges, International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering (IJIREEICE), Volume 6, Issue 6, pp 26-31, June 2018
- [41] Vikramsingh R. Parihar, An Overview of Transmission Line Fault Detection Techniques, International Journal of Innovative Research & Studies (IJIRS), Volume 8, Issue VII, pp 64-77, July-2018
- [42] Vikramsingh R. Parihar, Power Monitoring System Using Microcontroller for Optimum Power Utility in homes, Reinvention International: An International Journal of Thesis Projects and Dissertation, Volume 1, Issue 1, pp 96-112, Aug-2018
- [43] Vikramsingh R. Parihar, Automatic Wireless Health Monitoring System, Reinvention International: An International Journal of Thesis Projects and Dissertation, Volume 1, Issue 1, pp 84-95, Aug-2019
- [44] Vikramsingh R. Parihar, Overview and an Approach for QR-Code Based Messaging and File Sharing on Android Platform in View of Security, Proceedings of the IEEE 2017 International Conference on Computing Methodologies and Communication (ICCMC), July 2017
- [45] Vikramsingh R. Parihar, Line Trap and Artificial Intelligence Based Double Circuit Transmission Line Fault Classification, International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS 2017), August 2017
- [46] Vikramsingh R. Parihar, Hybrid Power System with Integration of Wind, Battery and Solar PV System, IEEE International Conference on Power, Control, System and Instrumentation Engineering (ICPCSI), Sept 2017
- [47] Vikramsingh R. Parihar, A Novel System of Real Time Hand Tracking and Gesture Recognition, IEEE International Conference on Inventive Computing and Informatics (ICICI), Nov 2017.

<u>www.ijaers.com</u> Page | 178